

AGENDA**EMERGENCY MEDICAL CARE ADVISORY BOARD (EMCAB)****REGULAR MEETING****THURSDAY – February 8th, 2024****4:00 P.M.****Location: Kern County Administrative Office
1115 Truxtun Ave, Bakersfield CA, 93301
Board of Supervisors Chambers**

- I. Call to Order**
- II. Flag Salute**
- III. Roll Call**
- IV. Consent Agenda (CA):** Consideration of the consent agenda.
All items listed with a “CA” are considered by Division staff to be routine and non-controversial. Consent items may be considered first and approved in one motion if no member of the Board or audience wishes to comment or discuss an item. If comment or discussion is desired, the item will be removed from consent and heard in its listed sequence with an opportunity for any member of the public to address the Board concerning the item before action is taken.
- V. (CA) Approval of Minutes: EMCAB Meeting November 9th, 2023– approve**
- VI. Subcommittee Reports:**
APOT Task Force – Jeff Fariss
- VII. Public Comments:**
This portion of the meeting is reserved for persons desiring to address the Board on any matter not on this Agenda and over which the Board has jurisdiction. Members of the public will also have the opportunity to comment as agenda items are discussed.
- VIII. Public Requests: None**
- IX. Unfinished Business: None**

Grounded in Health

- X. **New Business:**
- a) (CA) Maddy Fund Quarterly Report – receive and file
 - b) (CA) Legislation Report – receive and file
 - c) (CA) Quarterly APOT Report – receive and file
 - d) (CA) Quarterly Ambulance Response Time Compliance – receive and file
 - e) (CA) Request for Maddy Fund Release - approve

XI. **Manager’s Report: - Receive and File**

XII. **Miscellaneous Documents for Information: None**

XIII. **Board Member Announcements or Reports:**

On their own initiative, Board members may make a brief announcement or a brief report on their own activities. They may ask a question for clarification, make a referral to staff, or take action to have staff place a matter of business on a future agenda. (Government Code Section 54954.2 [a.])

XIV. **Announcements:**

- A. Next regularly scheduled meeting: Thursday, May 9th, 2024, 4:00 p.m., at the **Kern County Administrative Office, 1115 Truxtun Ave, Bakersfield CA, 93301 Board of Supervisors Chambers**
- B. The deadline for submitting public requests on the next EMCAB meeting agenda is Thursday, April 25th, 2024, 5:00 p.m., to the Kern County EMS Program Manager.

XV. **Adjournment**

Disabled individuals who need special assistance to attend or participate in a meeting of the Kern County Emergency Medical Care Advisory Board (EMCAB) may request assistance at the Kern County Public Health Services Department located at 1800 Mount Vernon Avenue, Bakersfield, 93306 or by calling (661) 321-3000. Every effort will be made to reasonably accommodate individuals with disabilities by making meeting materials available in alternative formats. Requests for assistance should be made at least three (3) working days in advance whenever possible.

Grounded in Health

**EMERGENCY MEDICAL CARE ADVISORY BOARD
Membership Roster**

| <i>Name and Address</i> | <i>Representing</i> |
|--|----------------------------|
| Jeff Flores, Supervisor Third District 1115 Truxtun Avenue Bakersfield, CA 93301 (661) 868-3672 | Board of Supervisors |
| <u>Alternate</u> Phillip Peters, Supervisor First District 1115 Truxtun Avenue Bakersfield, CA 93301 (661) 868-3652 | |
| Donny Youngblood, Sheriff Kern County Sheriff's Department 1350 Norris Road Bakersfield, CA 93308 (661) 391-7500 | Police Chief's Association |
| <u>Alternate</u> Vacant | |
| Kain Linville, Deputy Chief Kern County Fire Department 5642 Victor Street Bakersfield, CA 93308 (661) | Fire Chief's Association |
| <u>Alternate</u> Kevin Albertson, Deputy Chief Bakersfield Fire Department 2101 H St. Bakersfield, CA 93301 (661) | |
| Member | Urban Consumer |
| <u>Alternate</u> Peter Brandon 11204 Cave Ave Bakersfield, CA 93312 (661) 428-4563 | |
| Leslie Wilmer 1110 Bell Ave., Taft, CA 93268 (661) 304-1106 | Rural Consumer |

Alternate
Vacant

Orchel Krier
Mayor Pro Tem, City of Taft
209 E. Kern Street
Taft, CA 93268
661-763-1222

City Selection Committee

Alternate
Cathy Prout
Councilmember, City of Shafter
435 Maple Street
Shafter, CA 93263
(661) 746-6409

Scott Hurlbert
City of Wasco
746 8th Street
Wasco, CA 93280
(661) 758-7214

Kern Mayors and City Managers Group

Alternate
Maribel Reyna
City of Delano
1015 11th Avenue
Delano, CA 93215
(661)720-2269

Member

Kern County Medical Society

Alternate

Tyler Whitezell, Chief Operating Officer
Kern Medical
1700 Mt. Vernon
Bakersfield, CA 93306
(661)

Kern County Hospital Administrators

Alternate

John Surface
Hall Ambulance Inc.
1001 21st Street
Bakersfield, CA 93301
(661) 322-8741

Kern County Ambulance Association

Alternate

Kristopher Lyon, M.D.

EMS Medical Director

1800 Mount Vernon Avenue, 2nd floor
Bakersfield, CA 93306
(661) 321-3000

Support Staff

Jeff Fariss, EMS Program Manager
1800 Mount Vernon Avenue, 2nd floor
Bakersfield, CA 93306
(661) 321-3000

EMS Division

Gurujodha Khalsa, Chief Deputy
1115 Truxtun Avenue, 4th Floor
Bakersfield, CA 93301
(661) 868-3800

County Counsel

Julia Carlson
1115 Truxtun Avenue, 5th Floor
Bakersfield, CA 93301
(661) 868-3198

County Administrative Office

V. Approval of Minutes

Minutes**EMERGENCY MEDICAL CARE ADVISORY BOARD (EMCAB)****REGULAR MEETING****THURSDAY – November 9th, 2023****4:00 P.M.****Location: Kern County Administrative Office,
1115 Truxton Ave, Bakersfield CA, 93301
Board of Supervisors Chambers**

- I. **Call to Order – Jeff Flores**
- II. **Flag Salute – Orchel Krier**
- III. **Roll Call – Chris Parks**

| Attending | Roll Call |
|--------------------|------------------|
| Dr. Lyon | x |
| John Surface | |
| Leslie Wilmer | x |
| Scott Hilbert | |
| Sheriff Youngblood | x |
| Orchel Krier | x |
| Tyler Whitzell | |
| Chief Albertson | x |
| Chairman Flores | x |

We have a quorum

- IV. **Consent Agenda (CA):** Consideration of the consent agenda.
All items listed with a “CA” are considered by Division staff to be routine and non-controversial. Consent items may be considered first and approved in one motion if no member of the Board or audience wishes to comment or discuss an item. If comment or discussion is desired, the item will be removed from consent and heard in its listed sequence with an opportunity for any member of the public to address the Board concerning the item before action is taken.

Sheriff Youngblood – Motion to approve.**Dr. Lyon – Second**

| Attending | Poll |
|--------------------|------|
| Dr. Lyon | Y |
| John Surface | |
| Leslie Wilmer | Y |
| Scott Hilbert | |
| Sheriff Youngblood | Y |
| Orchel Krier | Y |
| Tyler Whitzell | |
| Chief Albertson | Y |
| Chairman Flores | Y |

V. (CA) Approval of Minutes: EMCAB Meeting February 9th, 2023– approved in consent

**VI. Subcommittee Reports:
APOT Task Force – Jeff Fariss**

Jeff Fariss - Thank you, Mr. chairman. The last APOT task force meeting was held on October 26th 2023 and the majority of that meeting was taken up with me going over AB40. AB40 was signed into law on October 13th by the governor and what it does is it creates additions to health and safety codes section 17971.120. It adds sections, subsections five, six and seven. I'm going to just give you a brief overview of what that means. Under subsection five, in the new subsection created, it instructs Emergency Medical Services Authority to develop an electronic signature for arrival and handoff to patients at hospitals. Develop an audit tool to improve data accuracy, provide technical assistance and funding as needed subject to appropriation for small rural hospitals, and to adopt emergency regulations in order to implement this new change. It also instructs local EMS agencies to develop a standard not to exceed 30 minutes 90% of the time for patient offload and it provides how that can be attained. Under 17971.120.6 it states that hospitals shall develop an ambulance patient offload time reduction protocol that will address notification of hospitals administration, nursing staff, medical staff, and ancillary services when the local EMS agency offload time standards have been exceeded, by one month mechanisms to improve Hospital operations to reduce ambulance patient offload time which include activating hospital surge plans, transferring patients, suspending elective admissions, discharging patients using alternative Care sites in and increasing supplies. Improving triage and transfer systems and adding staff. Systems to improve General hospital coordination with the ER and direct operational changes designed to facilitate a rapid reduction in ambulance patient offload time to meet the LEMSA or the local EMS agency standard. They need to file their ambulance patient offload time reduction protocol with the authority at the state level and report any revisions annually. Finally, under 120.7 it states that the authority shall monitor monthly ambulance patient offload time data for each hospital that's required to report under this section. If a hospital has an APOT that exceeds the local EMS agency standard then EMSA, the state Authority will report the APOT time exceedance to the local LEMSA and the commission on EMS it will direct the LEMSA to alert all EMS providers in that jurisdiction and direct the hospital to implement their APOT time reduction protocol. EMSA will have to host a minimum of bi-weekly telephone calls with the hospital Administration, ER leadership, EMS providers, and the LEMSA to discuss implementation of the protocol and the outcomes. One of the things I did in this meeting also was going back to quarter three I broke down what it would look like if we followed the 30 minutes at 90% of the time and not a single one of our hospitals can come anywhere close to that threshold. They're operating and they're offloading at greater than 30 minutes 72% of the time 65% of the time 48% of the time and so on. So, we have a lot of work to do here locally to get the hospitals these numbers should be at 10% in order for them to meet this this law so we have a lot of work to do. Also, the final thing that I discussed at this meeting was that EMS had in an attempt to assist the hospitals again with patient offload times has begun a trial study of something we're calling redirect. It was implemented in late September and what there's two separate alert notifications that are built into redirect. Alert one is if a hospital has patients waiting to offload for greater than 30 minutes that equals 10% of their licensed bed capacity then EMS labels that facility at alert one. At alert one ambulance providers are notified of the alert status and they are instructed, and they are requested that the facility is being

impacted or compacted with patients and it's recommended at that point that they try to avoid that hospital. Alert two is if a hospital has patients waiting to offload for greater than 30 minutes that equal 20% of their licensed bed capacity EMS labels that facility at Alert two and they go on what's called redirect ambulance providers are notified that the hospital is inundated with patients and they should not transport to that hospital this hospital is now on redirect for one hour to give the hospital time to decompress so no more than two hospitals can be on redirect at any given point in time if redirect begins to have a negative effect on other hospitals it will be revoked immediately and all hospitals will be reopened. Hospitals may not request redirect the decision is made solely by EMS staff based on the data that we have monitoring each hospital and while a hospital is on redirect EMS will continuously monitor the system for possible negative impact on other hospitals. In the first full month of the redirect trial the data showed a decrease in APOT Times by 500 hours moving into the second month we saw a slight increase of that by about 200 hours but still 300 hours below that previous month, so it appears to be having an effect we have one more month to go on our trial. In the meantime, I have reddinet systems working on creating an automated alert system that will do this for us automatically. That concludes my report and I'm available to answer any questions.

No question or comments from the board, staff, or sacramento.

VII. Public Comments:

This portion of the meeting is reserved for persons desiring to address the Board on any matter not on this Agenda and over which the Board has jurisdiction. Members of the public will also have the opportunity to comment as agenda items are discussed.

No public comment.

VIII. Public Requests: None

IX. Unfinished Business: None

X. New Business: None

XI. Manager's Report: - Receive and File

Jeff Fariss – Thank you Mr. chairman. EMS continues to remain busy with improvements to the system, conducting quality improvement reviews, providing training to the public, continually reviewing policies, procedures, and protocols, and many other projects. Our training team has conducted three Narcan training, six stop the bleed training, and three hands only CPR trainings in the last quarter. A total of 270 people have attended these trainings and been educated in these courses. Our certification team has completed 1,576 certifications and accreditation since January. This includes EMTs, paramedics, emergency medical dispatchers, and mobile intensive care nurses. Our emergency preparedness team has been working on restructuring the Health Care Coalition to be more beneficial to our Medical Health Providers. Stocking and organizing the warehouse with supplies in the event of another disaster. Working on the procurement of a mobile command trailer for the purpose of providing administrative control at the scene of large-scale events. They conducted a countywide drill for a chemical surge incident recently. Attended the state Emergency Medical Services Authority, United States Navy, and California Department of Public Health sponsored full scale exercise at Point Magoo and numerous other projects that would take all afternoon for me to mention. One project that we at public health and EMS are very proud of is the vial of Life project. On October 19th Kern County Public Health and EMS along with Hall Ambulance Service and Liberty Ambulance Service held a press conference announcing the vial of Life project. Now this is a vial of life you all have one sitting in front of you, inside the vial of life is a magnet that is placed on your refrigerator door. It also has a sticker that goes close to your front door and then there's a form inside that you fill out that has all of your medical history, medications, allergies. Everything in the event that you become incapacitated cannot respond this can save your life. Because this will have all the information that the crews need in order to save your life without having to try and figure it out themselves. So, with all this information it will be handy, you put this on the top shelf of your

freezer inside your freezer they will know to look there, when they see the sticker and the magnet. So, following the press conference on the 19th Public Health received a huge response from the public and have had to order more vials of life in order to meet the demand. We have seen in the days immediately following the press conference Public Health Distributed 1,800 vials just to those individuals that walked into public health asking for them. In addition, we distributed bulk vials to Liberty Ambulance, Hall ambulance, aging and adult Services, the VFW Post in Frasier Park, Kern City, Brighton Parks, and Cane Memorial. At this point if anyone listening to this or watching this wants a vial of Life, come down to Public Health at 1800 Mount Vernon and we will be happy to give you a vial of Life, so that you can get your life saved. Moving on as approved by this board on June 1st, EMS initiated the downgrade of 88 emergency medical dispatch codes from lights and Sirens to no lights and Sirens. From June 1st through October 31st, we saw 116,431 responses to these 88 downgraded calls with 359 or 2.18% transported to the hospital with lights and Sirens. Each of these 359 transports was investigated by EMS staff and we have found no evidence that the downgraded response played any role in any patient outcome. Furthermore, ambulance response times to these incidents have averaged 10.7 minutes with a 90 percentile response time of 15.39 minutes now with the response time compliance for these calls at 15.59 minutes these response times are outstanding. I am happy to announce that Kern County Fire has entered into an agreement with public health EMS to expand their advanced life support Paramedic program. In several of the unincorporated areas of Kern County they are adding Emergency Medical Response squads with non-firefighter paramedics and EMTs for the sole purpose of responding to 911 medical emergencies. We are hoping that this increase in paramedic response vehicles in our system will work to help assure that paramedics are available for those patients that truly need ALS interventions. These Medical Response squads will work exactly like fly cars being operated by Hall Ambulance Service. I wanted to give this board an update on our membership over the past week we've had three resignations from EMCAB. Dr. Earl Canson and Dr. Nadeem Goraya have resigned, and Chief Wells submitted his resignation. Now we have received a nomination from the county, from Fire Chiefs Association of Kern County, for Deputy Chief Kain Linville to fill the member seat that was left by Chief Wells and that will be going through the Board of Supervisors for approval as soon as possible. With that, this concludes my manager's report and I'm available to answer any questions.

No question or comments from the board.

XII. Miscellaneous Documents for Information: None

XIII. Board Member Announcements or Reports: None

On their own initiative, Board members may make a brief announcement or a brief report on their own activities. They may ask a question for clarification, make a referral to staff, or take action to have staff place a matter of business on a future agenda. (Government Code Section 54954.2 [a.]

XIV. Announcements:

- A. Next regularly scheduled meeting: Thursday, February 8th, 2024, 4:00 p.m., here in the Board of Supervisors Chambers here in the Kern County Administrative Office, 1115 Truxton Ave. Bakersfield, CA 93301
- B. The deadline for submitting public requests on the next EMCAB meeting agenda is Thursday, January 25th, 2024, 5:00 p.m., to the Kern County EMS Program Manager. ☺

XV. Adjournment

Disabled individuals who need special assistance to attend or participate in a meeting of the Kern County Emergency Medical Care Advisory Board (EMCAB) may request assistance at the Kern County Public Health Services Department located at 1800 Mount Vernon Avenue, Bakersfield, 93306 or by calling (661) 321-3000. Every effort will be made to

reasonably accommodate individuals with disabilities by making meeting materials available in alternative formats. Requests for assistance should be made at least three (3) working days in advance whenever possible.

VII. Subcommittee Report

X. New Business

a. Quarterly Maddy Fund Report

**EMS DIVISION
KERN COUNTY PUBLIC HEALTH SERVICES DEPARTMENT
MADDY EMS FUND
FISCAL YEAR 2023-24 ACTIVITY**

| | MADDY Deposits + Interest AS (10 & 12) | RICHIE'S Deposits AS (11) | Admin 10% of Each Fund AS (14 & 15) | Richie's Fund (15%) Distribution AS (17) | Total Physician Claims Submitted In Quarter PC (8) | Physicians 58% both funds Balance AS (24) | Physician Payments in Quarter PC (16) | Percent Paid to Physicians H16/F16 | Hospitals 25% of Both Fund Balance AS (28) | Hospital Payments in Quarter HP (17 & 19) | EMCAAB-Current Other EMS 17% MADDY Balance FY 2324 (Jul 2023-Jun 2024) AS (33) | EMCAAB-Rollover Other EMS 17% MADDY Rollover Balance FY 1819 (Nov 2018-Jun 2019) AS (33) | EMCAAB-Rollover Other EMS 17% MADDY Rollover Balance FY 1920 (Jul 2019-Jun 2020) AS (33) | EMCAAB-Rollover Other EMS 17% MADDY Rollover Balance FY 2021 (Jul 2020-Jun 2021) AS (33) | EMCAAB-Rollover Other EMS 17% MADDY Rollover Balance FY 2122 (Jul 2021-Jun 2022) AS (33) | EMCAAB-Rollover Other EMS 17% MADDY Rollover Balance FY 2223 (Jul 2022-Jun 2023) AS (33) | EMCAAB-Transfers EMCAAB Transfers-JV33023 10/1/21 To pay for EMS warehouse lease AS (34) | Other EMS 17% RICHIE'S Balance AS (34) |
|----------------------------|--|------------------------------|---|--|--|---|---|--|--|---|--|--|--|--|--|--|--|--|
| JULY 2023 | 96,907.29 | 70,852.41 | 16,775.97 | 10,627.86 | | 81,436.08 | | | 35,088.97 | | 14,826.82 | | | | | | | 9,033.68 |
| AUGUST 2023 | 78,736.59 | 64,975.76 | 14,371.24 | 9,746.36 | | 69,394.64 | | | 29,898.69 | | 12,046.70 | | | | | | | 8,284.41 |
| SEPTEMBER 2023 | 66,449.18 | 63,718.19 | 13,016.74 | 9,557.73 | | 62,735.38 | | | 26,898.23 | | 10,166.72 | | | | | | | 8,124.07 |
| Total for Quarter 1 | 242,093.06 | 199,546.36 | 44,163.95 | 29,931.95 | 270,691.44 | 213,566.10 | 135,354.66 | 50% | 91,885.89 | 147,260.00 | 37,040.24 | | | | | | | 25,442.16 |
| OCTOBER 2023 | 86,369.10 | 61,908.16 | 14,827.74 | 9,286.22 | | 72,225.75 | | | 31,040.83 | | 13,214.47 | | | | | | | 7,893.29 |
| NOVEMBER 2023 | 75,828.16 | 64,168.13 | 13,999.62 | 9,625.22 | | 67,495.44 | | | 29,092.86 | | 11,601.71 | | | | | | | 8,181.44 |
| DECEMBER 2023 | 57,437.19 | 59,258.29 | 11,669.55 | 8,888.74 | | 55,759.57 | | | 24,034.30 | | 8,787.89 | | | | | | | 7,555.43 |
| Total for Quarter 2 | 219,634.45 | 185,334.58 | 40,496.91 | 27,800.18 | 259,617.40 | 195,480.76 | - | 0% | 84,167.99 | 135,598.33 | 33,604.07 | | | | | | | 23,630.16 |
| JANUARY 2024 | - | - | - | - | | - | | | - | | - | | | | | | | - |
| FEBRUARY 2024 | - | - | - | - | | - | | | - | | - | | | | | | | - |
| MARCH 2024 | - | - | - | - | | - | | | - | | - | | | | | | | - |
| Total for Quarter 3 | - | - | - | - | - | - | - | #DIV/0! | - | #DIV/0! | - | | | | | | | - |
| APRIL 2024 | - | - | - | - | | - | | | - | | - | | | | | | | - |
| MAY 2024 | - | - | - | - | | - | | | - | | - | | | | | | | - |
| JUNE 2024 | - | - | - | - | | - | | | - | | - | | | | | | | - |
| Total for Quarter 4 | - | - | - | - | - | - | - | #DIV/0! | - | #DIV/0! | - | | | | | | | - |
| YEAR-END SUP. | | | | | | | | | | | | | | | | | | |
| YEAR TO DATE | 461,727.51 | 384,880.94 | 84,660.86 | 57,732.13 | 530,308.84 | 409,046.86 | 135,354.66 | 26% | 176,053.88 | 147,260.00 | 70,644.31 | 135,711.45 | 177,421.30 | 171,266.68 | 150,941.55 | 147,695.34 | (285,868.80) | 49,072.32 |
| Total | | | | | | | | | | | 567,811.83 | | | | | | | |

X. New Business

b. Legislative Reports



EMS Program Staff Report for EMCAB

Legislative Report

Background

Emergency Medical Services is constantly changing and evolving. Each year laws and regulations are created that influence our local system. The last several years have seen an increase in such legislation. The following pages represent bills currently in the legislative process.

EMSAAC

Tuesday, January 23, 2024

[AB 19](#)

([Patterson, Joe R](#)) Pupil health: opioid antagonists.

Current Text: Amended: 6/22/2023 [html](#) [pdf](#)

Last Amend: 6/22/2023

Status: 9/1/2023-In committee: Held under submission.

Location: 9/1/2023-S. 2 YEAR

| | | | | | | | | | | | |
|---------------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 2 year | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law authorizes school districts, county offices of education, and charter schools to provide emergency naloxone hydrochloride or another opioid antagonist to school nurses or voluntary trained personnel, and authorizes those nurses and voluntary trained personnel to use naloxone hydrochloride or another opioid antagonist to provide emergency medical aid to persons suffering, or reasonably believed to be suffering, from an opioid overdose, as provided. This bill would require each individual public school operated by a school district, county office of education, or charter school that has elected to make a school nurse or trained personnel available at the school pursuant to those provisions to maintain at least two units of naloxone hydrochloride or another opioid antagonist for purposes of those authorizations.

Organization **Position**
 EMSAAC Watch/Study

[AB 71](#)

([Rodriguez D](#)) Pupil instruction: bleeding control.

Current Text: Amended: 6/22/2023 [html](#) [pdf](#)

Last Amend: 6/22/2023

Status: 9/1/2023-Failed Deadline pursuant to Rule 61(a)(11). (Last location was APPR. SUSPENSE FILE on 7/10/2023)(May be acted upon Jan 2024)

Location: 9/1/2023-S. 2 YEAR

| | | | | | | | | | | | |
|-----------|--------|--------|-------|-----------|--------|---------------|-------|-------------|----------|--------|-----------|
| Desk | Policy | Fiscal | Floor | Desk | Policy | 2 year | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law authorizes a school district or school to provide a comprehensive program in first aid or cardiopulmonary resuscitation training, or both, to pupils and employees in accordance with specified guidelines. Existing law requires the Instructional Quality Commission to recommend curriculum frameworks for adoption by the State Board of Education in accordance with regulations. This bill would require, on or before July 1, 2024, the State Department of Education to make available to school districts on the department’s internet website a list of resources and instructional materials on bleeding control, as specified. The bill would require, when the Health Framework for California Public Schools is next revised after January 1, 2024, the Instructional Quality Commission to consider including information on bleeding control in that framework, as specified.

Organization **Position**
 EMSAAC Watch/Study

[AB 296](#)

([Rodriguez D](#)) Office of Emergency Services: 9-1-1 Public Education Campaign.

Current Text: Amended: 6/29/2023 [html](#) [pdf](#)

Last Amend: 6/29/2023

Status: 9/1/2023-Failed Deadline pursuant to Rule 61(a)(11). (Last location was APPR. SUSPENSE FILE on 8/14/2023)(May be acted upon Jan 2024)

Location: 9/1/2023-S. 2 YEAR

| | | | | | | | | | | | |
|-----------|--------|--------|-------|-----------|--------|---------------|-------|-------------|----------|--------|-----------|
| Desk | Policy | Fiscal | Floor | Desk | Policy | 2 year | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law establishes the Office of Emergency Services within the office of the Governor. Existing law makes the office responsible for the state’s emergency and disaster response services for natural, technological, or man-made disasters and emergencies, including responsibility for activities necessary to prevent, respond to, recover from, and mitigate the effects of emergencies and disasters to people and property. Existing law, the Warren-911-Emergency Assistance Act, requires every local public agency, as defined, to have an emergency communication system and requires the digits “911” to be the primary emergency telephone number within the system. Existing law requires the office, with the advice and assistance of the Attorney General, to coordinate the implementation of systems, to assist local public agencies and local public safety agencies in obtaining financial help to establish emergency telephone service, and to aid agencies in the formulation of concepts, methods, and procedures that will improve the operation of those systems and that will increase cooperation between public safety agencies. This bill would establish the 911 Public Education Campaign, to be administered by the office in collaboration with the State 911 Advisory Board, as specified, for the purpose of educating the public on when it is appropriate to call 911 for assistance. The bill would include in the goals of the campaign, among others, reducing the number of unnecessary calls to 911

call centers and reducing delays in the 911 system caused by nonemergency calls being placed. The bill would require the campaign to give local public agencies the ability to tailor the message of the campaign, focus on social media, and be distributed to the public via local public agency channels. This bill contains other existing laws.

Organization **Position**
 EMSAAC Watch/Study

[AB 379](#) [\(Rodriguez D\)](#) **Emergency medical services.**

Current Text: Amended: 7/10/2023 [html](#) [pdf](#)

Last Amend: 7/10/2023

Status: 9/1/2023-Failed Deadline pursuant to Rule 61(a)(11). (Last location was APPR. SUSPENSE FILE on 8/14/2023)(May be acted upon Jan 2024)

Location: 9/1/2023-S. 2 YEAR

| | | | | | | | | | | | | |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|--|
| Desk | Policy | Fiscal | Floor | Desk | Policy | 2 year | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered | |
| 1st House | | | | 2nd House | | | | | | | | |

Summary: Existing law, the Emergency Medical Services System and the Prehospital Emergency Medical Care Personnel Act, governs local emergency medical services (EMS) systems. The existing act establishes the Emergency Medical Services Authority (authority), which is responsible for the coordination and integration of all emergency medical services. Existing law authorizes each county to develop an emergency medical services program and requires a county that does so to designate a local EMS agency (LEMSA). Existing law requires the authority to develop planning and implementation guidelines for emergency medical services systems that address specified components, including the assessment of hospital and critical care centers and data collection and evaluation. This bill would require these guidelines to include a list of standardized terminology for a LEMSA to use when granting exemptions for 911 response times, as specified. This bill contains other existing laws.

Organization **Position**
 EMSAAC Watch/Study

[AB 1028](#) [\(McKinnor D\)](#) **Reporting of crimes: mandated reporters.**

Current Text: Amended: 6/28/2023 [html](#) [pdf](#)

Last Amend: 6/28/2023

Status: 9/1/2023-Failed Deadline pursuant to Rule 61(a)(11). (Last location was APPR. SUSPENSE FILE on 8/28/2023)(May be acted upon Jan 2024)

Location: 9/1/2023-S. 2 YEAR

| | | | | | | | | | | | | |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|--|
| Desk | Policy | Fiscal | Floor | Desk | Policy | 2 year | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered | |
| 1st House | | | | 2nd House | | | | | | | | |

Summary: Existing law requires a health practitioner, as defined, to make a report to law enforcement when they suspect a patient has suffered physical injury that is inflicted by the person's own act or inflicted by another where the injury is by means of a firearm, or caused by assaultive or abusive conduct, including elder abuse, sexual assault, or torture. A violation of these provisions is punishable as a misdemeanor. This bill would, on and after January 1, 2025, remove the requirement that a health practitioner make a report to law enforcement when they suspect a patient has suffered physical injury caused by assaultive or abusive conduct, and instead only require that report if the health practitioner suspects a patient has suffered a wound or physical injury inflicted by the person's own act or inflicted by another where the injury is by means of a firearm, a wound or physical injury resulting from child abuse, or a wound or physical injury resulting from elder abuse. This bill contains other related provisions and other existing laws.

Organization **Position**
 EMSAAC Concerns

[AB 1168](#) [\(Bennett D\)](#) **Emergency medical services (EMS): prehospital EMS.**

Current Text: Amended: 7/13/2023 [html](#) [pdf](#)

Last Amend: 7/13/2023

Status: 9/14/2023-Failed Deadline pursuant to Rule 61(a)(14). (Last location was INACTIVE FILE on 9/12/2023)(May be acted upon Jan 2024)

Location: 9/14/2023-S. 2 YEAR

| | | | | | | | | | | | | |
|-----------|--------|--------|-------|-----------|--------|--------|--------|-------------|----------|--------|-----------|--|
| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | 2 year | Conf. Conc. | Enrolled | Vetoed | Chaptered | |
| 1st House | | | | 2nd House | | | | | | | | |

Summary: Existing law, the Emergency Medical Services System and the Prehospital Emergency Medical Care Personnel Act, governs local emergency medical services (EMS) systems and authorizes each county to develop an EMS program and designate a local EMS agency. Existing law requires a county to enter into a written agreement with a city or fire district that contracted for or provided prehospital EMS as of June 1, 1980. Existing law requires, until that written agreement is reached, prehospital EMS to be continued at not less than the existing level and the administration of prehospital EMS by cities and fire districts contracting for or providing those services as of June 1,

1980, to be retained by those cities and fire districts. This bill would require a city to be treated as if it had retained its authorities regarding, and the administration of, prehospital EMS if specified requirements are met. If a joint powers agreement regarding prehospital EMS was initially executed on or after January 1, 2024, the bill would ensure a city or fire district retains its existing authorities regarding, and the administration of, prehospital EMS. This bill contains other related provisions and other existing laws.

Organization **Position**
EMSAAC Oppose

AB 1786 **(Rodriguez D) Public safety: vehicles.**

Current Text: Introduced: 1/3/2024 [html](#) [pdf](#)

Status: 1/4/2024-From printer. May be heard in committee February 3.

Location: 1/3/2024-A. PRINT

| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law authorizes the director of the Department of Motor Vehicles to adopt and enforce rules and regulations necessary to administer the provisions implemented by the department. This bill would state the intent of the Legislature to enact legislation to govern the interaction between first responders and autonomous vehicles.

Organization **Position**
EMSAAC Pending

AB 1792 **(Rodriguez D) Emergency medical services: personal protective equipment.**

Current Text: Introduced: 1/4/2024 [html](#) [pdf](#)

Status: 1/16/2024-Referred to Com. on E.M.

Location: 1/16/2024-A. EMERGENCY MANAGEMENT

| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law requires the Emergency Medical Services Authority to develop planning and implementation guidelines that address designated components for emergency medical services systems. This bill would require the authority to develop standards, on or before January 1, 2027, for personal protective equipment for ambulance personnel and to update the standards on or before January 1, 2032, and every 5 years thereafter.

Organization **Position**
EMSAAC Pending

AB 1843 **(Rodriguez D) Emergency Ambulance Employee Safety and Preparedness Act.**

Current Text: Introduced: 1/16/2024 [html](#) [pdf](#)

Status: 1/17/2024-From printer. May be heard in committee February 16.

Location: 1/16/2024-A. PRINT

| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Summary: Under the Emergency Ambulance Employee Safety and Preparedness Act, an initiative measure enacted by the voters as Proposition 11 at the November 6, 2018, statewide general election, every emergency ambulance employee is entitled to employer-paid mental health services through an employee assistance program (EAP), and requires the EAP coverage to provide up to 10 mental health treatments per issue per calendar year. The act defines "issue" for purposes of those provisions to mean mental health conditions such as, among other things, stress, depression, or substance abuse. This bill would instead require the EAP program to provide up to 20 mental health treatments per issue per calendar year, and would include post-traumatic stress disorder in the definition of "issue" for purposes of those provisions. This bill contains other related provisions and other existing laws.

Organization **Position**
EMSAAC Pending

AB 1863 **(Ramos D) California Emergency Services Act: notification systems.**

Current Text: Introduced: 1/18/2024 [html](#) [pdf](#)

Status: 1/19/2024-From printer. May be heard in committee February 18.

Location: 1/18/2024-A. PRINT

| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law, the California Emergency Services Act, authorizes use of the Emergency Alert System to inform the public of local, state, and national emergencies. Existing law authorizes a law enforcement agency to request the Department of the California Highway Patrol to activate a "Feather

Alert," as defined, if specified criteria are satisfied with respect to an endangered indigenous person who has been reported missing under unexplained or suspicious circumstances. Existing law requires the department, if it concurs that specified requirements are met, to activate a Feather Alert within the appropriate geographical area requested by the investigating law enforcement agency and to assist the agency by disseminating specified alert messages and signs. This bill would state the intent of the Legislature to enact subsequent legislation to improve the Feather Alert.

Organization **Position**
 EMSAAC Pending

SB 402 **(Wahab D) Involuntary commitment.**

Current Text: Amended: 1/12/2024 [html](#) [pdf](#)

Last Amend: 1/12/2024

Status: 1/12/2024-Read second time and amended. Ordered to third reading.

Location: 1/12/2024-S. THIRD READING

| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Calendar: 1/25/2024 #59 SENATE SENATE BILLS -THIRD READING FILE

Summary: Existing law, the Lanterman-Petris-Short Act, authorizes the involuntary commitment and treatment of persons with specified mental disorders. Under the act, when a person, as a result of a mental health disorder, is a danger to self or others, or gravely disabled, the person may, upon probable cause, be taken into custody by specified individuals, including, among others, by peace officers and designated members of a mobile crisis team, and placed in a facility designated by the county and approved by the State Department of Health Care Services for up to 72 hours for evaluation and treatment. This bill would additionally authorize a person to be taken into custody, pursuant to those provisions, by a licensed mental health professional, as defined.

Organization **Position**
 EMSAAC Watch/Study

SB 868 **(Wilk R) Pupil safety: trauma kits.**

Current Text: Amended: 7/12/2023 [html](#) [pdf](#)

Last Amend: 7/12/2023

Status: 9/1/2023-Failed Deadline pursuant to Rule 61(a)(11). (Last location was APPR. SUSPENSE FILE on 8/16/2023)(May be acted upon Jan 2024)

Location: 9/1/2023-A. 2 YEAR

| Desk | Policy | Fiscal | Floor | Desk | Policy | 2 year | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law requires the governing board of a school district, superintendent of schools, or the principal of a public or private school in the state to equip the school with a first aid kit whenever a pupil of the school is conducted or taken on a field trip, as specified. Existing law exempts from civil liability any person who, in good faith and not for compensation, renders emergency medical or nonmedical care or assistance at the scene of an emergency other than an act or omission constituting gross negligence or willful or wanton misconduct. This bill, commencing with the 2024-25 school year and contingent upon an appropriation for its purposes, would require each school district, county office of education, and charter school to (1) equip each classroom at each of its schoolsites with a trauma kit, as defined, (2) inspect and replace or replenish each trauma kit, as necessary, upon each use and at least once every three years, and (3) notify, at least once each school year, its employees of the location of the trauma kits and provide them with contact information for training in the use of the trauma kit, as provided. By imposing additional duties on local educational agencies, the bill would impose a state-mandated local program. The bill would exempt from civil liability a person who renders emergency care or treatment by the use of a trauma kit at the scene of an emergency, as specified. This bill contains other related provisions and other existing laws.

Organization **Position**
 EMSAAC Watch/Study

SB 915 **(Cortese D) Local government: autonomous vehicles.**

Current Text: Introduced: 1/9/2024 [html](#) [pdf](#)

Status: 1/10/2024-From printer. May be acted upon on or after February 9.

Location: 1/9/2024-S. RLS.

| Desk | Policy | Fiscal | Floor | Desk | Policy | Fiscal | Floor | Conf. Conc. | Enrolled | Vetoed | Chaptered |
|-----------|--------|--------|-------|-----------|--------|--------|-------|-------------|----------|--------|-----------|
| 1st House | | | | 2nd House | | | | | | | |

Summary: Existing law authorizes an autonomous vehicle, as defined, to be operated on public roads for testing purposes by a driver who possesses the proper class of license for the type of vehicle being operated if certain requirements are met, including that the vehicle is being operated solely by employees, contractors, or other persons designated by the manufacturer. Existing law prohibits an autonomous vehicle from being operated on public roads until the manufacturer submits an application

to the Department of Motor Vehicles containing certain certifications regarding safety and other technological requirements and the department approves that application pursuant to adopted regulations. Existing law, commencing January 1, 2030, and to the extent authorized by federal law, prohibits the operation of certain new autonomous vehicles that are not zero-emission vehicles, as defined. This bill would prohibit an autonomous vehicle service, which has received approval to conduct commercial passenger service or engage in commercial activity using driverless vehicles by the Department of Motor Vehicles, the Public Utilities Commission, or another state agency, from commencing operation within a local jurisdiction until authorized by a local ordinance enacted pursuant to the bill's provisions. The bill would authorize each city, county, or city and county in which an autonomous vehicle has received authorization to operate, to protect the public health, safety, and welfare by adopting an ordinance or resolution in regard to autonomous vehicle services within that jurisdiction. The bill would require each city, county, or city and county that adopts an ordinance or resolution to include certain provisions within that ordinance or resolution. These would include a policy for entry into the business of providing autonomous vehicle services including a permitting program, the establishment of reasonable vehicle caps and hours of service restrictions, and the establishment of an interoperability or override system accessible by first responders in case of an emergency. This bill contains other related provisions and other existing laws.

| Organization | Position |
|---------------------|-----------------|
| EMSAAC | Pending |

Total Measures: 13

Total Tracking Forms: 13

X. New Business

c. Quarterly APOT Report

EMS Division Staff Report for EMCAB Ambulance Patient Offload Times (APOT)

Background

APOT is defined as the time interval between the arrival of an ambulance patient at an emergency department (ED) and the time the patient is transferred to the ED gurney, bed, chair or other acceptable location and the emergency department assumes the responsibility for care of the patient.

Assembly Bill 40, passed and signed into law by the governor in 2023, provides direction to the state EMS authority (EMSA), local EMS agency (LEMSA) and general acute care hospitals with emergency rooms, for the collection of data and the development of standards designed to lower Ambulance Patient Offload times. IN accordance with the legislation, EMSA will monitor monthly ambulance patient offload time data for each hospital and, if a hospital has APOTs that exceeds the LEMSA standard, EMS will direct hospital to implement the APOT time reduction protocol and host a bi-weekly call with hospital administration, emergency room leadership, EMS providers and the LEMSA to discuss implementation of protocol and outcomes.

Grounded in Health

Kern County Public Health has set our threshold at the maximum allowable of 30 minutes, 90% of the time for acceptable Ambulance Patient Offload Times, in accordance with this new law. The information contained in this report provides a review of Kern County hospitals offload times and the percentage of offload times greater than 30 minutes for this last quarter.

Ambulance Patient Offload Times are extremely important and can have a direct effect on the sustainability of our 911 response system.

Therefore, IT IS RECOMMENDED, the Board receive and file this APOT report.

Grounded in Health

Quarter 4, 2023

Ambulance Patient Offload Times

| 30 minutes | | | | | | | | | | | | | | |
|-----------------------------------|-----------|-----------|----------|-----------------------|-------------------|----------------------|------------------|-----------------------|-------------------|-----------------|-------------|----------------|------------------|-----------------|
| In County Hospitals | Incidents | Minutes | Hours | >30 to <60 Minutes | >30 to <60 Hrs | 60 to 120 Minutes | 60 to 120 Hrs | 121 to 180 Minutes | 121 to 180 Hrs | >180 Minutes | >180 Hrs | Total Hours | Total Minutes | %>30 Minutes |
| Adventist Health Bakersfield | 4884 | 163972.45 | 2732.87 | 70490.80 | 1174.85 | 34888.90 | 581.48 | 5822.85 | 97.05 | 794.42 | 13.24 | 1866.62 | 111996.97 | 68.30% |
| Delano Regional Medical Center | 408 | 2657.46 | 44.29 | 1078.08 | 17.97 | 150.89 | 2.51 | 0.00 | 0.00 | 0.00 | 0.00 | 20.48 | 1228.97 | 46.25% |
| Adventist Health Tehachapi Valley | 925 | 24017.36 | 400.29 | 6356.72 | 105.95 | 4960.67 | 82.68 | 1097.02 | 18.28 | 263.47 | 4.39 | 211.30 | 12677.88 | 52.79% |
| Bakersfield Heart Hospital | 509 | 16142.43 | 269.04 | 6224.50 | 103.74 | 2818.90 | 46.98 | 996.50 | 16.61 | 431.88 | 7.20 | 174.53 | 10471.78 | 64.87% |
| Bakersfield Memorial Hospital | 5191 | 155781.54 | 2596.36 | 55680.87 | 928.01 | 22588.03 | 376.47 | 22588.03 | 376.47 | 6935.36 | 115.59 | 1796.54 | 107792.29 | 69.19% |
| Kern Medical | 3644 | 108578.43 | 1809.64 | 49460.77 | 824.35 | 17919.14 | 298.65 | 2253.94 | 37.57 | 791.29 | 13.19 | 1173.75 | 70425.14 | 64.86% |
| Kern Valley Healthcare District | 468 | 7288.57 | 121.48 | 770.42 | 12.84 | 249.23 | 4.15 | 138.50 | 2.31 | 1443.57 | 24.06 | 43.36 | 2601.72 | 35.70% |
| Mercy Hospital | 1942 | 54843.48 | 914.06 | 21986.85 | 366.45 | 7782.65 | 129.71 | 1357.37 | 22.62 | 0.00 | 0.00 | 518.78 | 31126.87 | 56.76% |
| Mercy Hospital SW - Bakersfield | 1858 | 60815.01 | 1013.58 | 23683.33 | 394.72 | 14635.31 | 243.92 | 2777.45 | 46.29 | 390.14 | 6.50 | 691.44 | 41486.23 | 68.22% |
| Ridgecrest Regional Hospital | 767 | 16379.71 | 273.00 | 3691.19 | 61.52 | 2070.61 | 34.51 | 125.40 | 2.09 | 3365.55 | 56.09 | 154.21 | 9252.75 | 56.49% |
| Sub-Total | 20596 | 610476.44 | 10174.61 | | | | | | | | Overall | 6651.01 | 399060.60 | 65.37% |

X. New Business

d. Quarterly Ambulance Response Time Compliance

EMS Division Staff Report for EMCAB

Quarterly Ambulance Service Performance Standards Compliance Report

In accordance with the Ambulance Service Performance Standards, ambulance service providers are required to meet minimum ambulance response time standards. Specifically, ambulance service providers are required to respond to 90% of calls or more in each response time zone within each exclusive operating area each month. Required maximum response times per zone are as follows:

| Priority Code | Metro Zone | Urban Zone | Suburban Zone | Rural Zone | Wilderness Zone |
|---------------|------------|------------|---------------|------------|-----------------|
| 1 | 8 min | 15 min | 25 min | 50 min | 75 min |
| 2 | 10 min | 15 min | 25 min | 50 min | 75 min |
| C3AF | 15 min | 25 min | 30 min | 50 min | 75 min |
| C3B | 15 min | 25 min | 30 min | 50 min | 75 min |
| 3 | 20 min | 25 min | 30 min | 50 min | 75 min |
| 5 | 60 min | 60 min | 60 min | 60 min | 75 min |

As we embark into a post pandemic new year, we are still seeing unprecedented 911 call volumes and hospital wait times that have affected our ambulance providers' ability to maintain their contracted response times. Because of these factors, EMS has incorporated numerous changes to the system in an effort to assure the people of Kern County receive appropriate care in a timely manner. These changes include the increase of emergency vehicles on the road by approving a "Fly Car" system that allows paramedics to operate in first response vehicles and EMTs in ambulances. This has had a great impact on our system by allowing the paramedics to become available much more quickly. EMS conducted a study of our Emergency Medical Dispatch codes and as a result downgraded 88 response codes. These downgrades help ensure that the patients receive the correct level of care across the county. Additionally, EMS initiated the Tele911 system in Kern. This system allows EMTs and paramedics to contact a physician from the scene to evaluate and treat those patients that may not need to be transported to the hospital. This has assisted in reducing the number of unnecessary transports to our already overloaded hospitals. In an effort to assist our providers with the lingering issue of staffing shortages, EMS has approved the subcontracting of ambulances by our ambulance providers as well as the use of strike teams from out of the area when needed to assure coverage for the people of Kern. And finally, EMS in conjunction with ReddiNet and FirstWatch, launched a system allowing for the redirection of ambulances from a hospital if they meet specific criteria. Also, included in this new system is the ability for the hospital to submit patient offload times as they occur in the Emergency Department, allowing for more accurate data collection. EMS is continually looking for ways to improve our system and to that end, EMS staff meet with both Hall Ambulance Service and Liberty Ambulance service on a regular basis.

Grounded in Health

Excitedly, ambulance response time compliance has vastly improved throughout 2023, and, in fact, resulted in full compliance in November of 2023. Attached are the reports that detail the areas of response time compliance for the fourth quarter of calendar year 2023.

Therefore, IT IS RECOMMENDED that the Board receive and file the quarterly ambulance response time compliance report.

Grounded in Health



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| Zone | Priority | Compliance Reporting 2023/12/01 - 2023/12/31 | | | | | | | | | | | Compliance Period Reporting for Repetitive Non-Compliance | | Out of Compliance Count for 12 Periods Including | |
|----------------|----------|--|------|-----------------|--------------|--------------------------|---------------|----------------------|---------------------|---------------------------|-----------------------|-----------------------|---|-----------------------|--|---------------------------------------|
| | | On Time | Late | Total Incidents | Do Not Count | Adjusted Total Incidents | Adjusted Late | Exemptions Requested | Exemptions Approved | Time Corrections Approved | Compliance Calculated | Compliance Calculated | Response Time Compliance | Response Time Penalty | | Consecutive Periods Out of Compliance |
| EOA 1 Metro | 1 | 23 | 8 | 31 | 0 | 31 | 8 | 3 | 3 | 0 | 28 | 5 | 82.14% | \$1,000 | 1 | 0.82 |
| | 2 | 33 | 2 | 35 | 0 | 35 | 2 | 0 | 0 | 0 | 35 | 2 | 94.29% | \$0 | 0 | 0.94 |
| | C3A | 38 | 1 | 39 | 0 | 39 | 1 | 1 | 1 | 0 | 38 | 0 | 100.00% | | | 1.00 |
| | C3B | 25 | 0 | 25 | 0 | 25 | 0 | 0 | 0 | 0 | 25 | 0 | 100.00% | | | 1.00 |
| | 3 | 23 | 2 | 25 | 0 | 25 | 2 | 1 | 1 | 0 | 24 | 1 | 95.83% | | | 0.96 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 2 | 1 | 3 | 0 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 100.00% | | | 1.00 | |
| EOA 1 Rural | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 1 Suburban | 1 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 |
| | C3B | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 3 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 1 Urban | 2 | 16 | 1 | 17 | 0 | 17 | 1 | 0 | 0 | 0 | 17 | 1 | 94.12% | \$0 | 0 | 0.94 |
| | C3A | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 13 | 0 | 13 | 0 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | |
|------------------|-----|----|---|----|---|----|---|---|---|---|----|---|---------|---------|------|------|
| EOA 1 Wilderness | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 2 Metro | 1 | 16 | 4 | 20 | 0 | 20 | 4 | 1 | 1 | 0 | 19 | 3 | 84.21% | \$1,000 | 1 | 0.84 |
| | 2 | 37 | 3 | 40 | 0 | 40 | 3 | 2 | 2 | 0 | 38 | 1 | 97.37% | \$0 | 0 | 0.97 |
| | C3A | 36 | 2 | 38 | 0 | 38 | 2 | 1 | 1 | 0 | 37 | 1 | 97.30% | | | 0.97 |
| | C3B | 16 | 2 | 18 | 0 | 18 | 2 | 1 | 1 | 0 | 17 | 1 | 94.12% | | | 0.94 |
| | 3 | 29 | 1 | 30 | 0 | 30 | 1 | 0 | 0 | 0 | 30 | 1 | 96.67% | | | 0.97 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 2 Rural | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 2 Suburban | 1 | 9 | 1 | 10 | 0 | 10 | 1 | 1 | 1 | 0 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | 1.00 |
| | C3B | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | | | | | | | | | | | | | | | 1 | 0.00 |
| | | | | | | | | | | | | | | | 2 | 0.00 |
| | C3A | 15 | 0 | 15 | 0 | 15 | 0 | 0 | 0 | 0 | 15 | 0 | 100.00% | | | 1.00 |
| | C3B | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | 3 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | | |
|----------------|-----|----|----|----|---|----|----|---|---|---|----|----|---------|---------|---|------|------|
| EOA 2 Urban | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 10 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 2 | 2 | 0 | 100.00% | | | | 1.00 |
| EOA 3 Metro | 1 | 35 | 6 | 41 | 1 | 40 | 5 | 1 | 1 | 0 | 39 | 4 | 89.74% | \$1,000 | 1 | | 0.90 |
| | 2 | 65 | 4 | 69 | 0 | 69 | 4 | 1 | 1 | 0 | 68 | 3 | 95.59% | \$0 | 0 | | 0.96 |
| | C3A | 51 | 1 | 52 | 0 | 52 | 1 | 1 | 1 | 0 | 51 | 0 | 100.00% | | | | 1.00 |
| | C3B | 33 | 3 | 36 | 0 | 36 | 3 | 1 | 1 | 0 | 35 | 2 | 94.29% | | | | 0.94 |
| | 3 | 38 | 0 | 38 | 0 | 38 | 0 | 0 | 0 | 0 | 38 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 |
| | 6 | 6 | 8 | 14 | 0 | 14 | 8 | 0 | 0 | 0 | 14 | 8 | 42.86% | | | | 0.43 |
| | 7 | 56 | 20 | 76 | 0 | 76 | 20 | 0 | 0 | 0 | 76 | 20 | 73.68% | | | | 0.74 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 3 Rural | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 3 Suburban | 1 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 3 Urban | 1 | 50 | 2 | 52 | 0 | 52 | 2 | 2 | 2 | 0 | 50 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 58 | 4 | 62 | 0 | 62 | 4 | 1 | 1 | 0 | 61 | 3 | 95.08% | \$0 | 0 | | 0.95 |
| | C3A | 21 | 0 | 21 | 0 | 21 | 0 | 0 | 0 | 0 | 21 | 0 | 100.00% | | | | 1.00 |
| | C3B | 21 | 0 | 21 | 0 | 21 | 0 | 0 | 0 | 0 | 21 | 0 | 100.00% | | | | 1.00 |
| | 3 | 26 | 1 | 27 | 0 | 27 | 1 | 0 | 0 | 0 | 27 | 1 | 96.30% | | | | 0.96 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 7 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | | 0.50 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | | |
|------------------|-----|------|-----|------|-----|------|-----|-----|-----|-----|------|---------|---------|-----|---|------|------|
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| EOA 3 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 4 Metro | 1 | 1021 | 182 | 1203 | 2 | 1201 | 180 | 142 | 142 | 5 | 1059 | 33 | 96.88% | \$0 | 0 | | 0.97 |
| | 2 | 1593 | 195 | 1788 | 5 | 1783 | 190 | 165 | 165 | 0 | 1618 | 25 | 98.45% | \$0 | 0 | | 0.98 |
| | C3A | 1469 | 151 | 1620 | 0 | 1620 | 151 | 131 | 131 | 3 | 1489 | 17 | 98.86% | | | | 0.99 |
| | C3B | 1076 | 170 | 1246 | 2 | 1244 | 168 | 145 | 143 | 2 | 1101 | 23 | 97.91% | | | | 0.98 |
| | 3 | 1093 | 98 | 1191 | 0 | 1191 | 98 | 87 | 86 | 2 | 1105 | 10 | 99.10% | | | | 0.99 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 |
| | 6 | 87 | 71 | 158 | 0 | 158 | 71 | 0 | 0 | 0 | 158 | 71 | 55.06% | | | | 0.55 |
| | 7 | 250 | 92 | 342 | 0 | 342 | 92 | 0 | 0 | 0 | 342 | 92 | 73.10% | | | | 0.73 |
| | 8 | 13 | 3 | 16 | 0 | 16 | 3 | 0 | 0 | 0 | 16 | 3 | 81.25% | | | | 0.81 |
| 10 | 78 | 78 | 156 | 0 | 156 | 78 | 2 | 2 | 76 | 154 | 0 | 100.00% | | | | 1.00 | |
| EOA 4 Rural | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 4 Suburban | 1 | 10 | 1 | 11 | 0 | 11 | 1 | 1 | 1 | 0 | 10 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 15 | 2 | 17 | 0 | 17 | 2 | 1 | 1 | 1 | 16 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | | 1.00 |
| | C3B | 10 | 0 | 10 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | 0 | 100.00% | | | | 1.00 |
| | 3 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 4 Suburban | 1 | 25 | 3 | 28 | 0 | 28 | 3 | 2 | 2 | 0 | 26 | 1 | 96.15% | \$0 | 0 | | 0.96 |
| | 2 | 30 | 3 | 33 | 0 | 33 | 3 | 3 | 3 | 0 | 30 | 0 | 100.00% | \$0 | 0 | | 1.00 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | |
|----------------|------------------|-----|----|-----|---|-----|----|----|----|---|-----|---------|---------|---------|------|------|
| EOA 4 Urban | C3A | 29 | 3 | 32 | 0 | 32 | 3 | 2 | 2 | 1 | 30 | 0 | 100.00% | | | 1.00 |
| | C3B | 11 | 2 | 13 | 0 | 13 | 2 | 2 | 2 | 0 | 11 | 0 | 100.00% | | | 1.00 |
| | 3 | 16 | 3 | 19 | 0 | 19 | 3 | 1 | 1 | 2 | 18 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0.00% | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | EOA 4 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 |
| 2 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| C3A | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| C3B | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 3 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 4 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 5 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 6 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 7 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 8 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 8 Metro | 1 | 61 | 23 | 84 | 0 | 84 | 23 | 16 | 16 | 0 | 68 | 7 | 89.71% | \$1,000 | 1 | 0.90 |
| | 2 | 91 | 13 | 104 | 0 | 104 | 13 | 7 | 7 | 0 | 97 | 6 | 93.81% | \$0 | 0 | 0.94 |
| | C3A | 102 | 11 | 113 | 0 | 113 | 11 | 9 | 9 | 0 | 104 | 2 | 98.08% | | | 0.98 |
| | C3B | 59 | 11 | 70 | 0 | 70 | 11 | 7 | 7 | 0 | 63 | 4 | 93.65% | | | 0.94 |
| | 3 | 68 | 2 | 70 | 0 | 70 | 2 | 2 | 2 | 0 | 68 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 6 | 5 | 10 | 15 | 0 | 15 | 10 | 0 | 0 | 0 | 15 | 10 | 33.33% | | | 0.33 |
| | 7 | 75 | 65 | 140 | 0 | 140 | 65 | 0 | 0 | 0 | 140 | 65 | 53.57% | | | 0.54 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 4 | 4 | 0 | 4 | 4 | 0 | 0 | 4 | 4 | 0 | 100.00% | | | 1.00 | |
| EOA 8 Rural | 1 | 10 | 0 | 10 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 8 Suburban | 1 | 31 | 11 | 42 | 1 | 41 | 10 | 4 | 4 | 0 | 37 | 6 | 83.78% | \$1,000 | 1 | 0.84 |
| | 2 | 33 | 5 | 38 | 0 | 38 | 5 | 2 | 2 | 0 | 36 | 3 | 91.67% | \$0 | 0 | 0.92 |
| | C3A | 38 | 3 | 41 | 0 | 41 | 3 | 3 | 3 | 0 | 38 | 0 | 100.00% | | | 1.00 |
| | C3B | 19 | 2 | 21 | 0 | 21 | 2 | 2 | 2 | 0 | 19 | 0 | 100.00% | | | 1.00 |
| | 3 | 19 | 2 | 21 | 0 | 21 | 2 | 1 | 1 | 0 | 20 | 1 | 95.00% | | | 0.95 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | | | |
|------------------|-----|----|---|----|---|----|---|---|---|---|----|---|---------|---------|---|------|------|------|
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 |
| | 6 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | | 1.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 8 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 8 Urban | 1 | 19 | 9 | 28 | 3 | 25 | 6 | 2 | 2 | 0 | 23 | 4 | 82.61% | \$1,000 | 1 | | 0.83 | |
| | 2 | 15 | 1 | 16 | 0 | 16 | 1 | 0 | 0 | 0 | 16 | 1 | 93.75% | \$0 | 0 | | 0.94 | |
| | C3A | 21 | 1 | 22 | 0 | 22 | 1 | 1 | 1 | 0 | 21 | 0 | 100.00% | | | | 1.00 | |
| | C3B | 18 | 1 | 19 | 0 | 19 | 1 | 1 | 1 | 0 | 18 | 0 | 100.00% | | | | 1.00 | |
| | 3 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 10 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 100.00% | | | | 1.00 | |
| EOA 8 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 | |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 9 Metro | 1 | 31 | 3 | 34 | 0 | 34 | 3 | 1 | 1 | 0 | 33 | 2 | 93.94% | \$0 | 0 | | 0.94 | |
| | 2 | 59 | 6 | 65 | 0 | 65 | 6 | 5 | 5 | 1 | 60 | 0 | 100.00% | \$0 | 0 | | 1.00 | |
| | C3A | 43 | 5 | 48 | 0 | 48 | 5 | 2 | 2 | 0 | 46 | 3 | 93.48% | | | | 0.93 | |
| | C3B | 25 | 3 | 28 | 0 | 28 | 3 | 2 | 2 | 0 | 26 | 1 | 96.15% | | | | 0.96 | |
| | 3 | 27 | 1 | 28 | 0 | 28 | 1 | 1 | 1 | 0 | 27 | 0 | 100.00% | | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 10 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | | 1.00 | |
| EOA 9 Rural | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 | |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | | 1.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | | |
|------------------|-----|-----|----|-----|---|-----|----|---|---|---|-----|---------|---------|-----|---|------|------|
| EOA 9 Suburban | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 1 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 9 Urban | 1 | 6 | 1 | 7 | 0 | 7 | 1 | 1 | 1 | 0 | 6 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | | | | | | | | | | | | | | | | 1 | 0.00 |
| | C3A | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | | 1.00 |
| | C3B | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | | 1.00 |
| | 3 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 9 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 | |
| EOA 11 Metro | 1 | 60 | 11 | 71 | 0 | 71 | 11 | 8 | 8 | 0 | 63 | 3 | 95.24% | \$0 | 0 | | 0.95 |
| | 2 | 90 | 5 | 95 | 0 | 95 | 5 | 5 | 5 | 0 | 90 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 120 | 12 | 132 | 1 | 131 | 11 | 8 | 8 | 0 | 123 | 3 | 97.56% | | | | 0.98 |
| | C3B | 82 | 7 | 89 | 0 | 89 | 7 | 7 | 7 | 0 | 82 | 0 | 100.00% | | | | 1.00 |
| | 3 | 53 | 5 | 58 | 0 | 58 | 5 | 3 | 3 | 1 | 55 | 1 | 98.18% | | | | 0.98 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 100.00% | | | | | 1.00 |
| EOA 11 Suburban | 1 | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 0 | 11 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | | 1.00 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| EOA | Call # | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Compliance % | Penalty | Amount |
|---------------------|-----------------|----|---|----|---|----|---|---|---|----|----|---------|---------|--------------|---------|--------|
| EOA 11 Rural | C3B | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | 1.00 | |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 100.00% | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.00 | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0.00 | | |
| | EOA 11 Suburban | 1 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | | 2 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 |
| C3A | | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 9 | 0 | 100.00% | | 1.00 | | |
| C3B | | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 6 | 0 | 100.00% | | 1.00 | | |
| 3 | | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 4 | 0 | 100.00% | | 1.00 | | |
| 4 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| 5 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| 6 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| 7 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| 10 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| EOA 11 Urban | 1 | 14 | 0 | 14 | 0 | 14 | 0 | 0 | 0 | 14 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 7 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 11 | 0 | 100.00% | | 1.00 | | |
| | C3B | 8 | 0 | 8 | 0 | 8 | 0 | 0 | 0 | 8 | 0 | 100.00% | | 1.00 | | |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 100.00% | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| EOA 11 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 3 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 2 | 1 | 50.00% | | 0.50 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| OUT OF SERVICE AREA | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | 2 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |
| | 3 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 35 calls in Working Status

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-----|---|---|---|---|---|---|---|---|---|---|---|--|---------------|----------------|--|--|------|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|--------|--------|
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| MUTUAL AID GIVEN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | | 0.00 | | | | | | | | | | | | | | | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | | 0.00 | | | | | | | | | | | | | | | | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | 0.00 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TOTAL: | \$6,000 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 145 | 138.04 | 95.20% |

Exempt per Less than 10 policy

| | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|--------|---------|
| EOA 1 Urban | 1 | 3 | 1 | 4 | 0 | 4 | 1 | 0 | 0 | 0 | 4 | 1 | 75.00% | \$1,000 |
| EOA 2 Urban | 1 | 8 | 1 | 9 | 0 | 9 | 1 | 0 | 0 | 0 | 9 | 1 | 88.89% | \$1,000 |
| EOA 2 Urban | 2 | 5 | 3 | 8 | 0 | 8 | 3 | 1 | 1 | 0 | 7 | 2 | 71.43% | \$1,000 |
| EOA 9 Urban | 2 | 6 | 1 | 7 | 0 | 7 | 1 | 0 | 0 | 0 | 7 | 1 | 85.71% | \$1,000 |
| EOA 11 Suburban | 8 | 6 | 3 | 9 | 0 | 9 | 3 | 0 | 0 | 0 | 9 | 3 | 66.67% | |



Kern County - Liberty Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 65 calls in Working Status

| Compliance Reporting 2023/12/01 - 2023/12/31 | | | | | | | | | | | | | | Compliance Period Reporting for Repetitive Non-Compliance | | |
|--|----------|---------|------|-----------------|--------------|--------------------------|---------------|----------------------|---------------------|---------------------------|---------------------------------|----------------------------|--------------------------|---|--|---|
| Zone | Priority | On Time | Late | Total Incidents | Do Not Count | Adjusted Total Incidents | Adjusted Late | Exemptions Requested | Exemptions Approved | Time Corrections Approved | Compliance Calculated Incidents | Compliance Calculated Late | Response Time Compliance | Response Time Penalty | Consecutive Periods Out of Compliance Including Current Period | Out of Compliance Count for 12 Periods Including Current Period |
| EOA 6 Metro | 1 | 20 | 2 | 22 | 0 | 22 | 2 | 0 | 0 | 0 | 22 | 2 | 90.91% | \$0 | 0 | 0.91 |
| | 2 | 29 | 1 | 30 | 0 | 30 | 1 | 0 | 0 | 0 | 30 | 1 | 96.67% | \$0 | 0 | 0.97 |
| | C3A | 37 | 1 | 38 | 0 | 38 | 1 | 0 | 0 | 0 | 38 | 1 | 97.37% | | | 0.97 |
| | C3B | 24 | 2 | 26 | 0 | 26 | 2 | 0 | 0 | 0 | 26 | 2 | 92.31% | | | 0.92 |
| | 3 | 23 | 1 | 24 | 0 | 24 | 1 | 0 | 0 | 0 | 24 | 1 | 95.83% | | | 0.96 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Rural | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | | | 1.00 |
| | C3B | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Suburban | 1 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 0 | 11 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 10 | 0 | 10 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | 0 | 100.00% | | | 1.00 |
| | C3B | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | 1.00 |
| | 3 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Urban | 1 | 12 | 0 | 12 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 24 | 1 | 25 | 0 | 25 | 1 | 0 | 0 | 0 | 25 | 1 | 96.00% | \$0 | 0 | 0.96 |
| | C3A | 16 | 2 | 18 | 0 | 18 | 2 | 0 | 0 | 0 | 18 | 2 | 88.89% | | | 0.89 |
| | C3B | 13 | 0 | 13 | 0 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 100.00% | | | 1.00 |
| | 3 | 16 | 0 | 16 | 0 | 16 | 0 | 0 | 0 | 0 | 16 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 35 | 16 | 51 | 0 | 51 | 16 | 0 | 0 | 0 | 51 | 16 | 68.63% | | | 0.69 |
| | 7 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 0 | 0 | 3 | 3 | 0.00% | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Wilderness | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 7 Metro | 1 | 43 | 6 | 49 | 0 | 49 | 6 | 2 | 2 | 1 | 47 | 3 | 93.62% | \$0 | 0 | 0.94 |
| | 2 | 46 | 0 | 46 | 0 | 46 | 0 | 0 | 0 | 0 | 46 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 57 | 3 | 60 | 0 | 60 | 3 | 0 | 0 | 0 | 60 | 3 | 95.00% | | | 0.95 |
| | C3B | 35 | 0 | 35 | 0 | 35 | 0 | 0 | 0 | 0 | 35 | 0 | 100.00% | | | 1.00 |
| | 3 | 38 | 0 | 38 | 0 | 38 | 0 | 0 | 0 | 0 | 38 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 39 | 17 | 56 | 0 | 56 | 17 | 0 | 0 | 0 | 56 | 17 | 69.64% | | | 0.70 |
| 7 | 11 | 4 | 15 | 0 | 15 | 4 | 0 | 0 | 0 | 15 | 4 | 73.33% | | | 0.73 | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |



Kern County - Liberty Ambulance Response Compliance and Penalty

Period: Dec 2023 to Dec 2023

Report Status: In Progress with 65 calls in Working Status

| | | | | | | | | | | | | | | | | | | |
|------------------|-----|---|---|---|---|---|---|---|---|---|---|---------|---------|-----|------------|------|------|--|
| EOA 7 Rural | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 | |
| | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 | | |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | | |
| EOA 7 Suburban | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| EOA 7 Urban | | | | | | | | | | | | | | | | 1 | 0.00 | |
| | 2 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 8 | 0 | 8 | 0 | 8 | 0 | 0 | 0 | 0 | 8 | 0 | 100.00% | | | 1.00 | | |
| | 3 | 6 | 1 | 7 | 0 | 7 | 1 | 0 | 0 | 0 | 7 | 1 | 85.71% | | | 0.86 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| EOA 7 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | | |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| TOTAL: | | | | | | | | | | | | | | | \$0 | | | |

50

47.44
94.88%

Exempt per Less than 10 Policy

| | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|--------|---------|
| EOA 7 Urban | 1 | 3 | 1 | 4 | 0 | 4 | 1 | 0 | 0 | 0 | 4 | 1 | 75.00% | \$1,000 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|--------|---------|



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 134 calls in Working Status

| Zone | Priority | Compliance Reporting 2023/11/01 - 2023/11/30 | | | | | | | | | | | Compliance Period Reporting for Repetitive Non-Compliance | | Out of Compliance Count for 12 Periods Including Current Period | | |
|------------------|----------|--|------|-----------------|--------------|--------------------------|---------------|----------------------|---------------------|---------------------------|---------------------------------|----------------------------|---|-----------------------|---|--|------|
| | | On Time | Late | Total Incidents | Do Not Count | Adjusted Total Incidents | Adjusted Late | Exemptions Requested | Exemptions Approved | Time Corrections Approved | Compliance Calculated Incidents | Compliance Calculated Late | Response Time Compliance | Response Time Penalty | | Consecutive Periods Out of Compliance Including Current Period | |
| EOA 1 Metro | 1 | 32 | 2 | 34 | 0 | 34 | 2 | 1 | 1 | 0 | 33 | 1 | 96.97% | \$0 | 0 | | 0.97 |
| | 2 | 32 | 1 | 33 | 0 | 33 | 1 | 0 | 0 | 0 | 33 | 1 | 96.97% | \$0 | 0 | | 0.97 |
| | C3A | 45 | 2 | 47 | 0 | 47 | 2 | 1 | 1 | 0 | 46 | 1 | 97.83% | | | | 0.98 |
| | C3B | 34 | 1 | 35 | 0 | 35 | 1 | 0 | 0 | 0 | 35 | 1 | 97.14% | | | | 0.97 |
| | 3 | 23 | 2 | 25 | 0 | 25 | 2 | 2 | 2 | 0 | 23 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | | 0.50 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 1 Rural | 1 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 1 Suburban | 2 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 3 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | | 0.50 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| EOA 1 Urban | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 14 | 1 | 15 | 0 | 15 | 1 | 0 | 0 | 0 | 15 | 1 | 93.33% | \$0 | 0 | | 0.93 |
| | C3A | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | | 1.00 |
| | C3B | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | | 1.00 |
| | 3 | 4 | 1 | 5 | 0 | 5 | 1 | 1 | 1 | 0 | 4 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 1 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 2 Metro | 1 | 20 | 1 | 21 | 0 | 21 | 1 | 1 | 1 | 0 | 20 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 31 | 4 | 35 | 0 | 35 | 4 | 2 | 2 | 0 | 33 | 2 | 93.94% | \$0 | 0 | | 0.94 |
| | C3A | 21 | 3 | 24 | 0 | 24 | 3 | 3 | 3 | 0 | 21 | 0 | 100.00% | | | | 1.00 |
| | C3B | 24 | 1 | 25 | 0 | 25 | 1 | 0 | 0 | 0 | 25 | 1 | 96.00% | | | | 0.96 |
| | 3 | 19 | 0 | 19 | 0 | 19 | 0 | 0 | 0 | 0 | 19 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| 8 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | 0.50 | | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 134 calls in Working Status

| | | | | | | | | | | | | | | | | |
|----------------|-----|----|----|----|---|----|----|---|---|---|----|----|---------|-----|------|------|
| EOA 2 Rural | 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 2 Suburban | 1 | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 0 | 11 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 12 | 2 | 14 | 0 | 14 | 2 | 1 | 1 | 0 | 13 | 1 | 92.31% | | | 0.92 |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 8 | 2 | 10 | 0 | 10 | 2 | 0 | 0 | 0 | 10 | 2 | 80.00% | | | 0.80 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 2 Urban | 1 | 13 | 2 | 15 | 0 | 15 | 2 | 2 | 2 | 0 | 13 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 14 | 0 | 14 | 0 | 14 | 0 | 0 | 0 | 0 | 14 | 0 | 100.00% | | 1 | 1.00 |
| | C3B | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | 1.00 |
| | 3 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 3 Metro | 1 | 35 | 3 | 38 | 0 | 38 | 3 | 2 | 2 | 0 | 36 | 1 | 97.22% | \$0 | 0 | 0.97 |
| | 2 | 57 | 7 | 64 | 0 | 64 | 7 | 5 | 5 | 0 | 59 | 2 | 96.61% | \$0 | 0 | 0.97 |
| | C3A | 43 | 4 | 47 | 0 | 47 | 4 | 2 | 2 | 1 | 45 | 1 | 97.78% | | | 0.98 |
| | C3B | 31 | 3 | 34 | 0 | 34 | 3 | 3 | 3 | 0 | 31 | 0 | 100.00% | | | 1.00 |
| | 3 | 43 | 1 | 44 | 0 | 44 | 1 | 1 | 1 | 0 | 43 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 7 | 6 | 13 | 0 | 13 | 6 | 0 | 0 | 0 | 13 | 6 | 53.85% | | | 0.54 |
| | 7 | 42 | 31 | 73 | 0 | 73 | 31 | 0 | 0 | 0 | 73 | 31 | 57.53% | | | 0.58 |
| | 8 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 3 Rural | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | C3A | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 3 Suburban | 1 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| Total | 1 | 36 | 1 | 37 | 0 | 37 | 1 | 1 | 1 | 0 | 36 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 55 | 9 | 64 | 0 | 64 | 9 | 5 | 5 | 1 | 59 | 3 | 94.92% | \$0 | 0 | 0.95 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 134 calls in Working Status

Main data table with columns for Area, Call Number, C3A, C3B, C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99, C100, C101, C102, C103, C104, C105, C106, C107, C108, C109, C110, C111, C112, C113, C114, C115, C116, C117, C118, C119, C120, C121, C122, C123, C124, C125, C126, C127, C128, C129, C130, C131, C132, C133, C134, C135, C136, C137, C138, C139, C140, C141, C142, C143, C144, C145, C146, C147, C148, C149, C150, C151, C152, C153, C154, C155, C156, C157, C158, C159, C160, C161, C162, C163, C164, C165, C166, C167, C168, C169, C170, C171, C172, C173, C174, C175, C176, C177, C178, C179, C180, C181, C182, C183, C184, C185, C186, C187, C188, C189, C190, C191, C192, C193, C194, C195, C196, C197, C198, C199, C200, C201, C202, C203, C204, C205, C206, C207, C208, C209, C210, C211, C212, C213, C214, C215, C216, C217, C218, C219, C220, C221, C222, C223, C224, C225, C226, C227, C228, C229, C230, C231, C232, C233, C234, C235, C236, C237, C238, C239, C240, C241, C242, C243, C244, C245, C246, C247, C248, C249, C250, C251, C252, C253, C254, C255, C256, C257, C258, C259, C260, C261, C262, C263, C264, C265, C266, C267, C268, C269, C270, C271, C272, C273, C274, C275, C276, C277, C278, C279, C280, C281, C282, C283, C284, C285, C286, C287, C288, C289, C290, C291, C292, C293, C294, C295, C296, C297, C298, C299, C300, C301, C302, C303, C304, C305, C306, C307, C308, C309, C310, C311, C312, C313, C314, C315, C316, C317, C318, C319, C320, C321, C322, C323, C324, C325, C326, C327, C328, C329, C330, C331, C332, C333, C334, C335, C336, C337, C338, C339, C340, C341, C342, C343, C344, C345, C346, C347, C348, C349, C350, C351, C352, C353, C354, C355, C356, C357, C358, C359, C360, C361, C362, C363, C364, C365, C366, C367, C368, C369, C370, C371, C372, C373, C374, C375, C376, C377, C378, C379, C380, C381, C382, C383, C384, C385, C386, C387, C388, C389, C390, C391, C392, C393, C394, C395, C396, C397, C398, C399, C400, C401, C402, C403, C404, C405, C406, C407, C408, C409, C410, C411, C412, C413, C414, C415, C416, C417, C418, C419, C420, C421, C422, C423, C424, C425, C426, C427, C428, C429, C430, C431, C432, C433, C434, C435, C436, C437, C438, C439, C440, C441, C442, C443, C444, C445, C446, C447, C448, C449, C450, C451, C452, C453, C454, C455, C456, C457, C458, C459, C460, C461, C462, C463, C464, C465, C466, C467, C468, C469, C470, C471, C472, C473, C474, C475, C476, C477, C478, C479, C480, C481, C482, C483, C484, C485, C486, C487, C488, C489, C490, C491, C492, C493, C494, C495, C496, C497, C498, C499, C500, C501, C502, C503, C504, C505, C506, C507, C508, C509, C510, C511, C512, C513, C514, C515, C516, C517, C518, C519, C520, C521, C522, C523, C524, C525, C526, C527, C528, C529, C530, C531, C532, C533, C534, C535, C536, C537, C538, C539, C540, C541, C542, C543, C544, C545, C546, C547, C548, C549, C550, C551, C552, C553, C554, C555, C556, C557, C558, C559, C560, C561, C562, C563, C564, C565, C566, C567, C568, C569, C570, C571, C572, C573, C574, C575, C576, C577, C578, C579, C580, C581, C582, C583, C584, C585, C586, C587, C588, C589, C590, C591, C592, C593, C594, C595, C596, C597, C598, C599, C600, C601, C602, C603, C604, C605, C606, C607, C608, C609, C610, C611, C612, C613, C614, C615, C616, C617, C618, C619, C620, C621, C622, C623, C624, C625, C626, C627, C628, C629, C630, C631, C632, C633, C634, C635, C636, C637, C638, C639, C640, C641, C642, C643, C644, C645, C646, C647, C648, C649, C650, C651, C652, C653, C654, C655, C656, C657, C658, C659, C660, C661, C662, C663, C664, C665, C666, C667, C668, C669, C670, C671, C672, C673, C674, C675, C676, C677, C678, C679, C680, C681, C682, C683, C684, C685, C686, C687, C688, C689, C690, C691, C692, C693, C694, C695, C696, C697, C698, C699, C700, C701, C702, C703, C704, C705, C706, C707, C708, C709, C710, C711, C712, C713, C714, C715, C716, C717, C718, C719, C720, C721, C722, C723, C724, C725, C726, C727, C728, C729, C730, C731, C732, C733, C734, C735, C736, C737, C738, C739, C740, C741, C742, C743, C744, C745, C746, C747, C748, C749, C750, C751, C752, C753, C754, C755, C756, C757, C758, C759, C760, C761, C762, C763, C764, C765, C766, C767, C768, C769, C770, C771, C772, C773, C774, C775, C776, C777, C778, C779, C780, C781, C782, C783, C784, C785, C786, C787, C788, C789, C790, C791, C792, C793, C794, C795, C796, C797, C798, C799, C800, C801, C802, C803, C804, C805, C806, C807, C808, C809, C810, C811, C812, C813, C814, C815, C816, C817, C818, C819, C820, C821, C822, C823, C824, C825, C826, C827, C828, C829, C830, C831, C832, C833, C834, C835, C836, C837, C838, C839, C840, C841, C842, C843, C844, C845, C846, C847, C848, C849, C850, C851, C852, C853, C854, C855, C856, C857, C858, C859, C860, C861, C862, C863, C864, C865, C866, C867, C868, C869, C870, C871, C872, C873, C874, C875, C876, C877, C878, C879, C880, C881, C882, C883, C884, C885, C886, C887, C888, C889, C890, C891, C892, C893, C894, C895, C896, C897, C898, C899, C900, C901, C902, C903, C904, C905, C906, C907, C908, C909, C910, C911, C912, C913, C914, C915, C916, C917, C918, C919, C920, C921, C922, C923, C924, C925, C926, C927, C928, C929, C930, C931, C932, C933, C934, C935, C936, C937, C938, C939, C940, C941, C942, C943, C944, C945, C946, C947, C948, C949, C950, C951, C952, C953, C954, C955, C956, C957, C958, C959, C960, C961, C962, C963, C964, C965, C966, C967, C968, C969, C970, C971, C972, C973, C974, C975, C976, C977, C978, C979, C980, C981, C982, C983, C984, C985, C986, C987, C988, C989, C990, C991, C992, C993, C994, C995, C996, C997, C998, C999, C1000. Rows are grouped by EOA area: EOA 3 Urban, EOA 3 Wilderness, EOA 4 Metro, EOA 4 Rural, EOA 4 Suburban, EOA 4 Urban.



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 134 calls in Working Status

| EOA Area | Day | Response Metrics | | | | | | | | | | Compliance % | Compliance % | Penalty | Penalty | |
|------------------|-----|------------------|----|-----|---|-----|----|----|----|---|-----|--------------|--------------|---------|---------|------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | |
| EOA 4 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| EOA 8 Metro | 1 | 56 | 24 | 80 | 0 | 80 | 24 | 18 | 18 | 0 | 62 | 6 | 90.32% | \$0 | 0 | 0.90 |
| | 2 | 100 | 16 | 116 | 0 | 116 | 16 | 11 | 11 | 0 | 105 | 5 | 95.24% | \$0 | 0 | 0.95 |
| | C3A | 84 | 13 | 97 | 0 | 97 | 13 | 7 | 7 | 0 | 90 | 6 | 93.33% | | | 0.93 |
| | C3B | 59 | 14 | 73 | 0 | 73 | 14 | 7 | 7 | 0 | 66 | 7 | 89.39% | | | 0.89 |
| | 3 | 55 | 5 | 60 | 0 | 60 | 5 | 5 | 5 | 0 | 55 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 6 | 6 | 12 | 0 | 12 | 6 | 0 | 0 | 0 | 12 | 6 | 50.00% | | | 0.50 |
| | 7 | 59 | 35 | 94 | 0 | 94 | 35 | 0 | 0 | 0 | 94 | 35 | 62.77% | | | 0.63 |
| | 8 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | 0.50 |
| EOA 8 Rural | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | C3B | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 3 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 8 Suburban | 1 | 50 | 4 | 54 | 0 | 54 | 4 | 1 | 1 | 0 | 53 | 3 | 94.34% | \$0 | 0 | 0.94 |
| | 2 | 36 | 6 | 42 | 0 | 42 | 6 | 4 | 4 | 0 | 38 | 2 | 94.74% | \$0 | 0 | 0.95 |
| | C3A | 39 | 2 | 41 | 0 | 41 | 2 | 0 | 0 | 0 | 41 | 2 | 95.12% | | | 0.95 |
| | C3B | 17 | 1 | 18 | 0 | 18 | 1 | 1 | 1 | 0 | 17 | 0 | 100.00% | | | 1.00 |
| | 3 | 14 | 3 | 17 | 0 | 17 | 3 | 1 | 1 | 1 | 16 | 1 | 93.75% | | | 0.94 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 8 Urban | 1 | 19 | 1 | 20 | 0 | 20 | 1 | 1 | 1 | 0 | 19 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 16 | 5 | 21 | 0 | 21 | 5 | 4 | 4 | 0 | 17 | 1 | 94.12% | \$0 | 0 | 0.94 |
| | C3A | 26 | 1 | 27 | 0 | 27 | 1 | 1 | 1 | 0 | 26 | 0 | 100.00% | | | 1.00 |
| | C3B | 17 | 2 | 19 | 0 | 19 | 2 | 1 | 1 | 0 | 18 | 1 | 94.44% | | | 0.94 |
| | 3 | 8 | 2 | 10 | 0 | 10 | 2 | 2 | 2 | 0 | 8 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 8 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 9 Metro | 1 | 20 | 4 | 24 | 0 | 24 | 4 | 4 | 4 | 0 | 20 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 50 | 9 | 59 | 0 | 59 | 9 | 9 | 9 | 0 | 50 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 42 | 3 | 45 | 0 | 45 | 3 | 2 | 2 | 0 | 43 | 1 | 97.67% | | | 0.98 |
| | C3B | 40 | 3 | 43 | 0 | 43 | 3 | 2 | 2 | 0 | 41 | 1 | 97.56% | | | 0.98 |
| | 3 | 22 | 4 | 26 | 0 | 26 | 4 | 3 | 3 | 0 | 23 | 1 | 95.65% | | | 0.96 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 134 calls in Working Status

| | | | | | | | | | | | | | | | | | |
|------------------|-----|-----|----|-----|---|-----|----|---|---|---|-----|---|---------|-----|------|------|------|
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 |
| | 8 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| EOA 9 Rural | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 9 Suburban | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | C3B | 3 | 2 | 5 | 0 | 5 | 2 | 2 | 2 | 0 | 3 | 0 | 100.00% | | | 1.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 9 Urban | 1 | 9 | 2 | 11 | 0 | 11 | 2 | 1 | 1 | 1 | 10 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 10 | 1 | 11 | 0 | 11 | 1 | 1 | 1 | 0 | 10 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 14 | 1 | 15 | 0 | 15 | 1 | 1 | 1 | 0 | 14 | 0 | 100.00% | | | 1.00 | |
| | C3B | 10 | 0 | 10 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | 0 | 100.00% | | | 1.00 | |
| | 3 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 9 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 11 Metro | 1 | 58 | 14 | 72 | 0 | 72 | 14 | 9 | 9 | 0 | 63 | 5 | 92.06% | \$0 | 0 | 0.92 | |
| | 2 | 97 | 7 | 104 | 1 | 103 | 6 | 5 | 5 | 0 | 98 | 1 | 98.98% | \$0 | 0 | 0.99 | |
| | C3A | 102 | 9 | 111 | 0 | 111 | 9 | 6 | 6 | 2 | 105 | 1 | 99.05% | | | 0.99 | |
| | C3B | 77 | 3 | 80 | 0 | 80 | 3 | 3 | 3 | 0 | 77 | 0 | 100.00% | | | 1.00 | |
| | 3 | 60 | 3 | 63 | 0 | 63 | 3 | 1 | 1 | 1 | 62 | 1 | 98.39% | | | 0.98 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0.00% | | | 0.00 | |
| EOA 11 Rural | 1 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | 1.00 | |
| | C3B | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 | |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 134 calls in Working Status

| | | | | | | | | | | | | | | | | |
|---------------------|-----|----|---|----|---|----|---|---|---|---|----|---|---------|-----|------|------|
| EOA 11 Suburban | 1 | 10 | 1 | 11 | 0 | 11 | 1 | 1 | 1 | 0 | 10 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 0 | 11 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 13 | 0 | 13 | 0 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 100.00% | | | 1.00 |
| | C3B | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 3 | 3 | 1 | 4 | 0 | 4 | 1 | 1 | 1 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 7 | 3 | 10 | 0 | 10 | 3 | 0 | 0 | 0 | 10 | 3 | 70.00% | | | 0.70 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 11 Urban | 2 | 5 | 1 | 6 | 0 | 6 | 1 | 1 | 1 | 0 | 5 | 0 | 100.00% | \$0 | 1 | 1.00 |
| | C3A | 16 | 0 | 16 | 0 | 16 | 0 | 0 | 0 | 0 | 16 | 0 | 100.00% | | 0 | 1.00 |
| | C3B | 8 | 1 | 9 | 0 | 9 | 1 | 1 | 1 | 0 | 8 | 0 | 100.00% | | | 1.00 |
| | 3 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 11 Wilderness | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| OUT OF SERVICE AREA | 1 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 0 | 6 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | C3A | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| MUTUAL AID GIVEN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| TOTAL: | | | | | | | | | | | | | | \$0 | | |

151

142.17
94.15%

Exemptions per the Less Than 10 policy

| | | | | | | | | | | | | | | |
|----------------|-----|---|---|---|---|---|---|---|---|---|---|---|--------|---------|
| EOA 1 Suburban | 1 | 5 | 1 | 6 | 0 | 6 | 1 | 0 | 0 | 0 | 6 | 1 | 83.33% | \$1,000 |
| EOA 2 Suburban | C3B | 3 | 1 | 4 | 0 | 4 | 1 | 0 | 0 | 0 | 4 | 1 | 75.00% | |
| EOA 2 Urban | 2 | 6 | 1 | 7 | 0 | 7 | 1 | 0 | 0 | 0 | 7 | 1 | 85.71% | \$1,000 |
| EOA 11 Urban | 1 | 6 | 1 | 7 | 0 | 7 | 1 | 0 | 0 | 0 | 7 | 1 | 85.71% | \$1,000 |



Kern County - Liberty Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 58 calls in Working Status

| Zone | Priority | Compliance Reporting 2023/11/01 - 2023/11/30 | | | | | | | | | | | Compliance Period Reporting for Repetitive Non-Compliance | | Out of Compliance Count for 12 Periods Including Current Period | |
|------------------|----------|--|------|-----------------|--------------|--------------------------|---------------|----------------------|---------------------|---------------------------|---------------------------------|----------------------------|---|-----------------------|---|--|
| | | On Time | Late | Total Incidents | Do Not Count | Adjusted Total Incidents | Adjusted Late | Exemptions Requested | Exemptions Approved | Time Corrections Approved | Compliance Calculated Incidents | Compliance Calculated Late | Response Time Compliance | Response Time Penalty | | Consecutive Periods Out of Compliance Including Current Period |
| EOA 6 Metro | 1 | 15 | 0 | 15 | 0 | 15 | 0 | 0 | 0 | 0 | 15 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 23 | 0 | 23 | 0 | 23 | 0 | 0 | 0 | 0 | 23 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 29 | 1 | 30 | 0 | 30 | 1 | 0 | 0 | 0 | 30 | 1 | 96.67% | | | 0.97 |
| | C3B | 19 | 3 | 22 | 0 | 22 | 3 | 0 | 0 | 0 | 22 | 3 | 86.36% | | | 0.86 |
| | 3 | 17 | 1 | 18 | 0 | 18 | 1 | 0 | 0 | 0 | 18 | 1 | 94.44% | | | 0.94 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Rural | 1 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | C3B | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 |
| | 3 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Suburban | 1 | 7 | 1 | 8 | 0 | 8 | 1 | 1 | 1 | 0 | 7 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 0 | 11 | 0 | 100.00% | | 1 | 0.00 |
| | C3B | 5 | 1 | 6 | 0 | 6 | 1 | 0 | 0 | 0 | 6 | 1 | 83.33% | | | 0.83 |
| | 3 | 6 | 1 | 7 | 0 | 7 | 1 | 0 | 0 | 0 | 7 | 1 | 85.71% | | | 0.86 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Urban | 1 | 4 | 1 | 5 | 0 | 5 | 1 | 0 | 0 | 1 | 5 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 21 | 3 | 24 | 0 | 24 | 3 | 1 | 1 | 0 | 23 | 2 | 91.30% | \$0 | 0 | 0.91 |
| | C3A | 25 | 1 | 26 | 0 | 26 | 1 | 0 | 0 | 0 | 26 | 1 | 96.15% | | | 0.96 |
| | C3B | 17 | 0 | 17 | 0 | 17 | 0 | 0 | 0 | 0 | 17 | 0 | 100.00% | | | 1.00 |
| | 3 | 20 | 0 | 20 | 0 | 20 | 0 | 0 | 0 | 0 | 20 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 6 | 34 | 18 | 52 | 0 | 52 | 18 | 0 | 0 | 0 | 52 | 18 | 65.38% | | | 0.65 |
| | 7 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 6 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 7 Metro | 1 | 40 | 4 | 44 | 0 | 44 | 4 | 0 | 0 | 0 | 44 | 4 | 90.91% | \$0 | 0 | 0.91 |
| | 2 | 64 | 1 | 65 | 0 | 65 | 1 | 0 | 0 | 0 | 65 | 1 | 98.46% | \$0 | 0 | 0.98 |
| | C3A | 53 | 2 | 55 | 0 | 55 | 2 | 0 | 0 | 0 | 55 | 2 | 96.36% | | | 0.96 |
| | C3B | 40 | 0 | 40 | 0 | 40 | 0 | 0 | 0 | 0 | 40 | 0 | 100.00% | | | 1.00 |
| | 3 | 28 | 0 | 28 | 0 | 28 | 0 | 0 | 0 | 0 | 28 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 45 | 18 | 63 | 0 | 63 | 18 | 0 | 0 | 0 | 63 | 18 | 71.43% | | | 0.71 |
| 7 | 9 | 2 | 11 | 0 | 11 | 2 | 0 | 0 | 0 | 11 | 2 | 81.82% | | | 0.82 | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |



Kern County - Liberty Ambulance Response Compliance and Penalty

Period: Nov 2023 to Nov 2023

Report Status: In Progress with 58 calls in Working Status

| | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---------|---------|---|---|--------|
| EOA 7 Rural | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| | 1 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | C3A | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| EOA 7 Suburban | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | C3A | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | | 1.00 |
| | C3B | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | | 1.00 |
| | 3 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| EOA 7 Urban | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 1 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | 2 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | C3A | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | | 1.00 |
| | C3B | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| EOA 7 Wilderness | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 0 | 1.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0 | 0.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| TOTAL: | | | | | | | | | | | | | | | \$1,000 | | | |
| Adjusted Total | | | | | | | | | | | | | | | \$0 | | | |
| | | | | | | | | | | | | | | | | | | 47 |
| Exempt under Less than 10 volume rule | | | | | | | | | | | | | | | | | | |
| EOA 6 Suburban | 2 | 8 | 1 | 9 | 0 | 9 | 1 | 0 | 0 | 0 | 0 | 9 | 1 | 88.89% | \$1,000 | | | 45.38 |
| | | | | | | | | | | | | | | | | | | 96.56% |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Oct 2023 to Oct 2023

Report Status: In Progress with 30 calls in Working Status

| Zone | Priority | Compliance Reporting 2023/10/01 - 2023/10/31 | | | | | | | | | | | | | Compliance Period Reporting for Repetitive Non-Compliance | | Out of Compliance Count for 12 Periods Including Current Period |
|------------------|----------|--|------|-----------------|--------------|--------------------------|---------------|----------------------|---------------------|---------------------------|---------------------------------|----------------------------|--------------------------|-----------------------|--|------|---|
| | | On Time | Late | Total Incidents | Do Not Count | Adjusted Total Incidents | Adjusted Late | Exemptions Requested | Exemptions Approved | Time Corrections Approved | Compliance Calculated Incidents | Compliance Calculated Late | Response Time Compliance | Response Time Penalty | Consecutive Periods Out of Compliance Including Current Period | | |
| EOA 1 Metro | 1 | 40 | 5 | 45 | 0 | 45 | 5 | 2 | 2 | 0 | 43 | 3 | 93.02% | \$0 | 0 | 0.93 | |
| | 2 | 37 | 5 | 42 | 0 | 42 | 5 | 3 | 3 | 0 | 39 | 2 | 94.87% | \$0 | 0 | | 0.95 |
| | C3A | 45 | 3 | 48 | 0 | 48 | 3 | 0 | 0 | 0 | 48 | 3 | 93.75% | | | | 0.94 |
| | C3B | 30 | 1 | 31 | 0 | 31 | 1 | 1 | 1 | 0 | 30 | 0 | 100.00% | | | | 1.00 |
| | 3 | 44 | 2 | 46 | 0 | 46 | 2 | 2 | 2 | 0 | 44 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0.00 |
| | 8 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | | 1.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 1 Rural | 1 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 | |
| | C3B | 1 | 1 | 2 | 0 | 2 | 1 | 1 | 1 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 1 Suburban | 1 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | | | 1.00 | |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| | 3 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 2 | 2 | 4 | 0 | 4 | 2 | 0 | 0 | 0 | 4 | 2 | 50.00% | | | 0.50 | |
| 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| EOA 1 Urban | 1 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 | |
| | C3B | 2 | 1 | 3 | 0 | 3 | 1 | 1 | 1 | 0 | 2 | 0 | 100.00% | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 1 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| EOA 2 Metro | 1 | 20 | 1 | 21 | 0 | 21 | 1 | 0 | 0 | 0 | 21 | 1 | 95.24% | \$0 | 0 | 0.95 | |
| | 2 | 32 | 3 | 35 | 0 | 35 | 3 | 1 | 1 | 0 | 34 | 2 | 94.12% | \$0 | 0 | 0.94 | |
| | C3A | 28 | 1 | 29 | 0 | 29 | 1 | 0 | 0 | 1 | 29 | 0 | 100.00% | | | 1.00 | |
| | C3B | 21 | 1 | 22 | 0 | 22 | 1 | 1 | 1 | 0 | 21 | 0 | 100.00% | | | 1.00 | |
| | 3 | 28 | 0 | 28 | 0 | 28 | 0 | 0 | 0 | 0 | 28 | 0 | 100.00% | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | 0.50 | |
| 8 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 | | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Oct 2023 to Oct 2023

Report Status: In Progress with 30 calls in Working Status

| | | | | | | | | | | | | | | | | | | |
|----------------|-----|----|----|----|----|----|---|---|---|----|----|--------|---------|---------|------|------|--|------|
| EOA 2 Rural | 10 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 | | |
| | 1 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | | |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| | | | | | | | | | | | | | | | | 1 | | 0.00 |
| EOA 2 Suburban | 2 | 8 | 1 | 9 | 0 | 9 | 1 | 0 | 0 | 1 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 3 | 1 | 4 | 0 | 4 | 1 | 0 | 0 | 1 | 4 | 0 | 100.00% | | | 1.00 | | |
| | 3 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 8 | 12 | 1 | 13 | 1 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 100.00% | | | 1.00 | | |
| | 10 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 100.00% | | | 1.00 | | |
| EOA 2 Urban | 1 | 9 | 2 | 11 | 0 | 11 | 2 | 0 | 0 | 0 | 11 | 2 | 81.82% | \$1,000 | 1 | 0.82 | | |
| | 2 | 8 | 3 | 11 | 0 | 11 | 3 | 1 | 1 | 1 | 10 | 1 | 90.00% | \$0 | 0 | 0.90 | | |
| | C3A | 15 | 1 | 16 | 0 | 16 | 1 | 0 | 0 | 0 | 16 | 1 | 93.75% | | | 0.94 | | |
| | C3B | 3 | 2 | 5 | 0 | 5 | 2 | 2 | 2 | 0 | 3 | 0 | 100.00% | | | 1.00 | | |
| | 3 | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0.00% | | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| EOA 3 Metro | 1 | 25 | 6 | 31 | 0 | 31 | 6 | 4 | 4 | 0 | 27 | 2 | 92.59% | \$0 | 0 | 0.93 | | |
| | 2 | 67 | 3 | 70 | 0 | 70 | 3 | 3 | 3 | 0 | 67 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 59 | 5 | 64 | 0 | 64 | 5 | 4 | 4 | 1 | 60 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 30 | 1 | 31 | 0 | 31 | 1 | 0 | 0 | 0 | 31 | 1 | 96.77% | | | 0.97 | | |
| | 3 | 41 | 2 | 43 | 0 | 43 | 2 | 2 | 2 | 0 | 41 | 0 | 100.00% | | | 1.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| | 6 | 5 | 5 | 10 | 0 | 10 | 5 | 0 | 0 | 0 | 10 | 5 | 50.00% | | | 0.50 | | |
| 7 | 47 | 36 | 83 | 0 | 83 | 36 | 0 | 0 | 0 | 83 | 36 | 56.63% | | | 0.57 | | | |
| 10 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0.00% | | | 0.00 | | | |
| EOA 3 Rural | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| EOA 3 Suburban | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | | |
| | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | | |
| 1 | 43 | 3 | 46 | 0 | 46 | 3 | 2 | 2 | 0 | 44 | 1 | 97.73% | \$0 | 0 | 0.98 | | | |
| 2 | 62 | 4 | 66 | 0 | 66 | 4 | 2 | 2 | 0 | 64 | 2 | 96.88% | \$0 | 0 | 0.97 | | | |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Oct 2023 to Oct 2023

Report Status: In Progress with 30 calls in Working Status

| | | | | | | | | | | | | | | | | |
|------------------|-----|------|-----|------|-----|------|-----|-----|-----|-----|------|--------|---------|---------|------|------|
| EOA 3 Urban | C3A | 21 | 2 | 23 | 0 | 23 | 2 | 2 | 2 | 0 | 21 | 0 | 100.00% | | | 1.00 |
| | C3B | 35 | 2 | 37 | 0 | 37 | 2 | 2 | 2 | 0 | 35 | 0 | 100.00% | | | 1.00 |
| | 3 | 43 | 2 | 45 | 0 | 45 | 2 | 0 | 0 | 0 | 45 | 2 | 95.56% | | | 0.96 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| EOA 3 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 4 Metro | 1 | 1000 | 201 | 1201 | 2 | 1199 | 199 | 144 | 144 | 0 | 1055 | 55 | 94.79% | \$0 | 0 | 0.95 |
| | 2 | 1549 | 221 | 1770 | 2 | 1768 | 219 | 182 | 181 | 1 | 1587 | 37 | 97.67% | \$0 | 0 | 0.98 |
| | C3A | 1287 | 144 | 1431 | 0 | 1431 | 144 | 119 | 119 | 3 | 1312 | 22 | 98.32% | | | 0.98 |
| | C3B | 909 | 190 | 1099 | 0 | 1099 | 190 | 145 | 145 | 1 | 954 | 44 | 95.39% | | | 0.95 |
| | 3 | 1043 | 105 | 1148 | 0 | 1148 | 105 | 88 | 86 | 8 | 1062 | 11 | 98.96% | | | 0.99 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 6 | 68 | 76 | 144 | 0 | 144 | 76 | 0 | 0 | 0 | 144 | 76 | 47.22% | | | 0.47 |
| | 7 | 245 | 146 | 391 | 0 | 391 | 146 | 0 | 0 | 0 | 391 | 146 | 62.66% | | | 0.63 |
| | 8 | 54 | 17 | 71 | 0 | 71 | 17 | 0 | 0 | 0 | 71 | 17 | 76.06% | | | 0.76 |
| 10 | 113 | 112 | 225 | 0 | 225 | 112 | 9 | 9 | 101 | 216 | 2 | 99.07% | | | 0.99 | |
| EOA 4 Rural | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 1 | 2 | 1 | 50.00% | \$1,000 | 1 | 0.50 |
| | C3A | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 4 Suburban | 1 | 12 | 0 | 12 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 19 | 0 | 19 | 0 | 19 | 0 | 0 | 0 | 0 | 19 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | C3B | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 3 | 3 | 1 | 4 | 0 | 4 | 1 | 1 | 1 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 4 Urban | 1 | 24 | 5 | 29 | 0 | 29 | 5 | 4 | 4 | 0 | 25 | 1 | 96.00% | \$0 | 0 | 0.96 |
| | 2 | 44 | 8 | 52 | 0 | 52 | 8 | 8 | 8 | 0 | 44 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 19 | 2 | 21 | 0 | 21 | 2 | 2 | 2 | 0 | 19 | 0 | 100.00% | | | 1.00 |
| | C3B | 20 | 3 | 23 | 0 | 23 | 3 | 2 | 2 | 1 | 21 | 0 | 100.00% | | | 1.00 |
| | 3 | 18 | 2 | 20 | 0 | 20 | 2 | 1 | 1 | 1 | 19 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 2 | 2 | 4 | 0 | 4 | 2 | 0 | 0 | 2 | 4 | 0 | 100.00% | | | 1.00 |
| EOA 4 Suburban | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |



Kern County - Hall Ambulance Response Compliance and Penalty

Period: Oct 2023 to Oct 2023

Report Status: In Progress with 30 calls in Working Status

| | | | | | | | | | | | | | | | | | |
|------------------|-----|----|----|-----|---|-----|----|----|----|---|-----|----|---------|---------|---|------|------|
| EOA 4 Wilderness | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 1 | 46 | 19 | 65 | 0 | 65 | 19 | 11 | 11 | 1 | 54 | 7 | 87.04% | \$1,000 | 2 | | 0.87 |
| | 2 | 91 | 16 | 107 | 0 | 107 | 16 | 10 | 10 | 1 | 97 | 5 | 94.85% | \$0 | 0 | | 0.95 |
| | C3A | 99 | 13 | 112 | 0 | 112 | 13 | 8 | 8 | 1 | 104 | 4 | 96.15% | | | | 0.96 |
| | C3B | 54 | 15 | 69 | 0 | 69 | 15 | 9 | 9 | 1 | 60 | 5 | 91.67% | | | | 0.92 |
| | 3 | 55 | 5 | 60 | 0 | 60 | 5 | 1 | 1 | 0 | 59 | 4 | 93.22% | | | | 0.93 |
| EOA 8 Metro | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 3 | 4 | 7 | 0 | 7 | 4 | 0 | 0 | 0 | 7 | 4 | 42.86% | | | | 0.43 |
| | 7 | 63 | 42 | 105 | 0 | 105 | 42 | 0 | 0 | 0 | 105 | 42 | 60.00% | | | | 0.60 |
| | 8 | 3 | 3 | 6 | 0 | 6 | 3 | 0 | 0 | 0 | 6 | 3 | 50.00% | | | | 0.50 |
| | 10 | 3 | 3 | 6 | 0 | 6 | 3 | 0 | 0 | 3 | 6 | 0 | 100.00% | | | | 1.00 |
| | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | 2 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | | 1.00 |
| | C3B | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | | 1.00 |
| | 3 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | | 0.50 |
| EOA 8 Rural | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 1 | 43 | 7 | 50 | 2 | 48 | 5 | 3 | 3 | 0 | 45 | 2 | 95.56% | \$0 | 0 | | 0.96 |
| | 2 | 28 | 2 | 30 | 0 | 30 | 2 | 0 | 0 | 0 | 30 | 2 | 93.33% | \$0 | 0 | | 0.93 |
| | C3A | 29 | 1 | 30 | 0 | 30 | 1 | 1 | 1 | 0 | 29 | 0 | 100.00% | | | | 1.00 |
| | C3B | 16 | 3 | 19 | 0 | 19 | 3 | 2 | 2 | 0 | 17 | 1 | 94.12% | | | | 0.94 |
| | 3 | 13 | 1 | 14 | 0 | 14 | 1 | 1 | 1 | 0 | 13 | 0 | 100.00% | | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | | | 0.50 |
| | 10 | 2 | 1 | 3 | 0 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 100.00% | | | | 1.00 |
| | 1 | 18 | 5 | 23 | 0 | 23 | 5 | 2 | 2 | 1 | 21 | 2 | 90.48% | \$0 | 0 | | 0.90 |
| | 2 | 22 | 3 | 25 | 0 | 25 | 3 | 2 | 2 | 0 | 23 | 1 | 95.65% | \$0 | 0 | | 0.96 |
| | C3A | 26 | 3 | 29 | 0 | 29 | 3 | 1 | 1 | 1 | 28 | 1 | 96.43% | | | | 0.96 |
| | C3B | 21 | 0 | 21 | 0 | 21 | 0 | 0 | 0 | 0 | 21 | 0 | 100.00% | | | | 1.00 |
| | 3 | 6 | 3 | 9 | 0 | 9 | 3 | 2 | 2 | 0 | 7 | 1 | 85.71% | | | | 0.86 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 10 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 100.00% | | | | 1.00 |
| | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | | 0.00 |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | | 1.00 |
| EOA 8 Wilderness | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 1 | 24 | 2 | 26 | 0 | 26 | 2 | 0 | 0 | 0 | 26 | 2 | 92.31% | \$0 | 0 | | 0.92 |
| | 2 | 57 | 3 | 60 | 0 | 60 | 3 | 3 | 3 | 0 | 57 | 0 | 100.00% | \$0 | 0 | | 1.00 |
| | C3A | 40 | 1 | 41 | 0 | 41 | 1 | 1 | 1 | 0 | 40 | 0 | 100.00% | | | | 1.00 |
| | C3B | 22 | 2 | 24 | 0 | 24 | 2 | 1 | 1 | 0 | 23 | 1 | 95.65% | | | | 0.96 |
| | 3 | 26 | 2 | 28 | 0 | 28 | 2 | 1 | 1 | 0 | 27 | 1 | 96.30% | | | | 0.96 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 9 Metro | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |



| EOA | Call # | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Compliance % | Penalty | EOA Total | Penalty |
|------------------|--------|-----|---|-----|---|-----|---|---|---|---|-----|----|---------|------|--------------|---------|-----------|---------|
| EOA 9 Rural | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00% | | 0.00 | |
| | 8 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 0 | 0 | 3 | 3 | 0.00% | | 0.00 | | | |
| | 10 | 2 | 1 | 3 | 0 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 100.00% | | 1.00 | | | |
| | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0 | 0 | 0.00 | | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0 | 0 | 0.00 | | | |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | 1.00 | | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| EOA 9 Suburban | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 3 | 1 | 1 | 2 | 0 | 2 | 1 | 1 | 1 | 0 | 1 | 0 | 100.00% | | 1.00 | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 8 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | 0.50 | | | |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| EOA 9 Urban | 1 | 11 | 1 | 12 | 0 | 12 | 1 | 1 | 1 | 0 | 11 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | 2 | 4 | 1 | 5 | 0 | 5 | 1 | 1 | 1 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3B | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | 1.00 | | | |
| | 3 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | 1.00 | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 10 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 100.00% | | 1.00 | | | |
| EOA 9 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0 | 0 | 0.00 | | | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0 | 0 | 0.00 | | | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| EOA 11 Metro | 1 | 63 | 7 | 70 | 0 | 70 | 7 | 4 | 4 | 0 | 66 | 3 | 95.45% | \$0 | 0 | 0.95 | | |
| | 2 | 86 | 7 | 93 | 1 | 92 | 6 | 4 | 4 | 0 | 88 | 2 | 97.73% | \$0 | 0 | 0.98 | | |
| | C3A | 115 | 6 | 121 | 0 | 121 | 6 | 4 | 4 | 0 | 117 | 2 | 98.29% | | 0.98 | | | |
| | C3B | 66 | 4 | 70 | 0 | 70 | 4 | 1 | 1 | 1 | 69 | 2 | 97.10% | | 0.97 | | | |
| | 3 | 65 | 5 | 70 | 1 | 69 | 4 | 3 | 3 | 0 | 66 | 1 | 98.48% | | 0.98 | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 6 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | 1.00 | | | |
| | 7 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 50.00% | | 0.50 | | | |
| | 8 | 2 | 3 | 5 | 0 | 5 | 3 | 0 | 0 | 0 | 5 | 3 | 40.00% | | 0.40 | | | |
| EOA 11 Rural | 10 | 8 | 2 | 10 | 0 | 10 | 2 | 1 | 1 | 1 | 9 | 0 | 100.00% | | 1.00 | | | |
| | 1 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | 2 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | \$0 | 0 | 1.00 | | |
| | C3A | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | 1.00 | | | |
| | C3B | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | 1.00 | | | |
| | 3 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | 1.00 | | | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0.00 | | | | |



| | | | | | | | | | | | | | | | | |
|---------------------|-----|----|---|----|---|----|---|---|---|----|----|---------|---------|------|------|--------|
| EOA 11 Suburban | 1 | 12 | 0 | 12 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 13 | 1 | 14 | 0 | 14 | 1 | 1 | 1 | 0 | 13 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 16 | 1 | 17 | 0 | 17 | 1 | 1 | 1 | 0 | 16 | 0 | 100.00% | | | 1.00 |
| | C3B | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 3 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 16 | 3 | 19 | 0 | 19 | 3 | 0 | 0 | 0 | 19 | 3 | 84.21% | | | 0.84 |
| 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| EOA 11 Urban | 1 | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 11 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | 2 | 9 | 1 | 10 | 0 | 10 | 1 | 1 | 1 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 | |
| | C3A | 14 | 0 | 14 | 0 | 14 | 0 | 0 | 0 | 14 | 0 | 100.00% | | | 1.00 | |
| | C3B | 6 | 0 | 6 | 0 | 6 | 0 | 0 | 0 | 6 | 0 | 100.00% | | | 1.00 | |
| | 3 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0.00% | | | 0.00 |
| 10 | 1 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 1 | 2 | 0 | 100.00% | | | 1.00 | |
| EOA 11 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 | |
| OUT OF SERVICE AREA | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| MUTUAL AID GIVEN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | \$0 | 0 | 0.00 | |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | | |
| TOTAL: | | | | | | | | | | | | | \$3,000 | | 160 | 146.81 |

Exemptions per the Less than ten policy

| | | | | | | | | | | | | | | | | |
|----------------|-----|---|---|---|---|---|---|---|---|---|---|---|--------|---------|--|--|
| EOA 1 Urban | 3 | 2 | 2 | 4 | 0 | 4 | 2 | 1 | 1 | 0 | 3 | 1 | 66.67% | | | |
| EOA 2 Suburban | 1 | 4 | 1 | 5 | 0 | 5 | 1 | 0 | 0 | 0 | 5 | 1 | 80.00% | \$1,000 | | |
| EOA 3 Metro | 8 | 7 | 2 | 9 | 0 | 9 | 2 | 0 | 0 | 0 | 9 | 2 | 77.78% | | | |
| EOA 4 Urban | 8 | 7 | 1 | 8 | 0 | 8 | 1 | 0 | 0 | 0 | 8 | 1 | 87.50% | | | |
| EOA 9 Urban | C3A | 5 | 2 | 7 | 0 | 7 | 2 | 1 | 1 | 0 | 6 | 1 | 83.33% | | | |
| EOA 11 Rural | 8 | 4 | 1 | 5 | 0 | 5 | 1 | 0 | 0 | 0 | 5 | 1 | 80.00% | | | |
| EOA 9 Suburban | 2 | 4 | 1 | 5 | 0 | 5 | 1 | 0 | 0 | 0 | 5 | 1 | 80.00% | \$1,000 | | |



Kern County - Liberty Ambulance Response Compliance and Penalty

Period: Oct 2023 to Oct 2023

Report Status: In Progress with 81 calls in Working Status

| Zone | Priority | Compliance Reporting 2023/10/01 - 2023/10/31 | | | | | | | | | | Compliance Period Reporting for Repetitive Non-Compliance | | Out of Compliance Count for 12 Periods Including Current Period | | |
|------------------|----------|--|------|-----------------|--------------|--------------------------|---------------|----------------------|---------------------|---------------------------|---------------------------------|---|--------------------------|---|------|-----------------------|
| | | On Time | Late | Total Incidents | Do Not Count | Adjusted Total Incidents | Adjusted Late | Exemptions Requested | Exemptions Approved | Time Corrections Approved | Compliance Calculated Incidents | Compliance Calculated Late | Response Time Compliance | | | Response Time Penalty |
| EOA 6 Metro | 1 | 17 | 2 | 19 | 0 | 19 | 2 | 1 | 1 | 1 | 18 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 24 | 7 | 31 | 0 | 31 | 7 | 2 | 2 | 3 | 29 | 2 | 93.10% | \$0 | 0 | 0.93 |
| | C3A | 27 | 0 | 27 | 0 | 27 | 0 | 0 | 0 | 0 | 27 | 0 | 100.00% | | | 1.00 |
| | C3B | 22 | 0 | 22 | 0 | 22 | 0 | 0 | 0 | 0 | 22 | 0 | 100.00% | | | 1.00 |
| | 3 | 20 | 1 | 21 | 0 | 21 | 1 | 0 | 0 | 0 | 21 | 1 | 95.24% | | | 0.95 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 6 Rural | 1 | 7 | 0 | 7 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | C3B | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 6 Suburban | 1 | 12 | 0 | 12 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 12 | 0 | 12 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 100.00% | | | 1.00 |
| | C3B | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 100.00% | | | 1.00 |
| | 3 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 6 Urban | 1 | 11 | 0 | 11 | 0 | 11 | 0 | 0 | 0 | 0 | 11 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 19 | 1 | 20 | 0 | 20 | 1 | 0 | 0 | 1 | 20 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 21 | 2 | 23 | 0 | 23 | 2 | 0 | 0 | 0 | 23 | 2 | 91.30% | | | 0.91 |
| | C3B | 16 | 0 | 16 | 0 | 16 | 0 | 0 | 0 | 0 | 16 | 0 | 100.00% | | | 1.00 |
| | 3 | 21 | 1 | 22 | 0 | 22 | 1 | 0 | 0 | 0 | 22 | 1 | 95.45% | | | 0.95 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 6 | 34 | 19 | 53 | 0 | 53 | 19 | 0 | 0 | 1 | 53 | 18 | 66.04% | | | 0.66 |
| | 7 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 8 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| 10 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 100.00% | | | 1.00 | |
| EOA 6 Wilderness | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 3 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | C3B | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 7 Metro | 1 | 43 | 5 | 48 | 0 | 48 | 5 | 0 | 0 | 4 | 48 | 1 | 97.92% | \$0 | 0 | 0.98 |
| | 2 | 71 | 6 | 77 | 0 | 77 | 6 | 0 | 0 | 0 | 77 | 6 | 92.21% | \$0 | 0 | 0.92 |
| | C3A | 53 | 4 | 57 | 0 | 57 | 4 | 0 | 0 | 0 | 57 | 4 | 92.98% | | | 0.93 |
| | C3B | 29 | 0 | 29 | 0 | 29 | 0 | 0 | 0 | 0 | 29 | 0 | 100.00% | | | 1.00 |
| | 3 | 34 | 1 | 35 | 0 | 35 | 1 | 0 | 0 | 0 | 35 | 1 | 97.14% | | | 0.97 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 46 | 25 | 71 | 0 | 71 | 25 | 0 | 0 | 0 | 71 | 25 | 64.79% | | | 0.65 |
| 7 | 9 | 5 | 14 | 0 | 14 | 5 | 0 | 0 | 0 | 14 | 5 | 64.29% | | | 0.64 | |
| 8 | 0 | 5 | 5 | 0 | 5 | 5 | 0 | 0 | 0 | 5 | 5 | 0.00% | | | 0.00 | |



Kern County - Liberty Ambulance Response Compliance and Penalty

Period: Oct 2023 to Oct 2023

Report Status: In Progress with 81 calls in Working Status

| | | | | | | | | | | | | | | | | |
|------------------|-----|---|---|---|---|---|---|---|---|---|---|---|---------|-----|------|------|
| EOA 7 Rural | 10 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 100.00% | | | 1.00 |
| | 1 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 7 Suburban | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | | | 1.00 |
| | C3B | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 100.00% | | | 1.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 7 Urban | 1 | 5 | 0 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | 2 | 2 | 1 | 3 | 0 | 3 | 1 | 0 | 0 | 1 | 3 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 5 | 1 | 6 | 0 | 6 | 1 | 0 | 0 | 0 | 6 | 1 | 83.33% | | | 0.83 |
| | C3B | 3 | 1 | 4 | 0 | 4 | 1 | 0 | 0 | 0 | 4 | 1 | 75.00% | | | 0.75 |
| | 3 | 4 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 100.00% | | | 1.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| EOA 7 Wilderness | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 100.00% | \$0 | 0 | 1.00 |
| | C3A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | C3B | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0.00 | |
| TOTAL: | | | | | | | | | | | | | | \$0 | | |

51

48.09
94.29%

X. New Business

e. Request for Maddy Fund Release

MADDY FUND REQUEST REPORT – Purchase of IPADs

Background

In an effort to provide relief from the increasing 911 call volume and ambulance transports to already overloaded hospitals, in 2022, Kern County EMS introduced Tele911 into the Kern County system in a voluntary capacity.

Tele911 allows the field crews to use a digital device to reach out and connect a physician with the patient to provide assessment and treatment while on scene, preventing unnecessary transports.

In 2023 alone, Tele911 services were used by field crews on 1,564 occasions resulting in 670 patients being treated in place and another 335 of these patients' refusing treatment and transport, for a total of 1,005 or 64% not transported to already overloaded hospitals.

At the initiation of Tele911 in our system, the department provided over 100 iPads to our providers for use in making physician contact. These iPads were purchased during COVID and were previously used at the mass-vaccination clinic at the fairgrounds.

These iPads have reached their useful life and are in need of replacement. Additionally, Tele911 will soon be mandated for all Advanced Life Support (ALS) units, which will increase the number of iPads needed within our system.

Kern County EMS is requesting the release of Maddy funds in the amount of \$21,946 for the purchase of 200 iPads for the continued and expanded use of Tele911 in our system. Additionally, we request the release of \$111,348 to cover the monthly cellular coverage for these iPads through June of 2025 and \$4000 for protective covers.

The total requested is \$137,294.00.

Intent of Release of Maddy Funds

As approved by County Counsel, “The intent for releasing the discretionary Maddy funds by the county is to heighten, increase and improve, from the normal and customary base operations, the delivery of prehospital care to the people of Kern County. This would include programs, services, training, equipment and/or learning materials that would have a high likely hood to improve the Kern County EMS System of care from its normal and

Grounded in Health

customary base operations. The requested item, service or training must benefit all EMS stakeholders, especially the community at large, in such a way that it improves the quality and delivery of prehospital care.”

Recommendation

The request for the purchase of iPads for the use and expansion of Tele911 meets the intended use of the discretionary Maddy funds in that it will provide EMS providers the ability to treat low acuity patients at the scene of the 911 call and prevent unnecessary transport to already overloaded hospitals. This will benefit the community at large ensuring patients are treated appropriately, while also helping to relieve the stress on our local hospitals and more quickly make available pre-hospital emergency medical services system resources within our system.

Therefore, IT IS RECOMMENDED, your Board approve this request for the release of discretionary Maddy Funds for the purchase of iPads and accompanying cellular service for use in the expansion of Tele911 within Kern County’s emergency medical services system.

Grounded in Health